
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





PRINCETON NURSERIES

Wholesale Price List SPRING 1952

William Flemer's Sons, Inc.

Princeton, N. J.

Telephone 1776



FOREWORD

Heavy demand for Ornamental material in general has reduced quantities in many items.

Early purchase is your assurance of better assortment.

OUR PRICES ARE NOT HIGH, BUT OUR QUALITY IS TOPS.

Your inspection is invited.

MAKE PRINCETON HEADQUARTERS FOR YOUR REQUIREMENTS.

REMEMBER!

WE SPECIALIZE IN GROWING QUALITY NURSERY STOCK.
WE DO NO LANDSCAPING OR PLANTING JOBS.
WE ARE NOT YOUR COMPETITOR.

PRINCETON PRODUCTS ARE QUALITY PRODUCTS.

PRINCETON NURSERIES

PRINCETON, NEW JERSEY

WM. FLEMER, JR., President

Send Us Your Want List

Conditions of Sale

PRICES, ETC.

The prices named in this list cancel all previous lists. They are based on current market conditions and are subject to change without notice.

TERMS

PRICES: F.O.B. NURSERY AT KINGSTON, N. J.

To those with an established record for prompt payment or with satisfactory references, we are glad to extend our regular terms at thirty days from date of invoice.

2% DISCOUNT will be allowed for payment in ten days from date of invoice.

Orders for **shipment C.O.D.** must be accompanied by a remittance for one-third of the amount to insure acceptance. These are our only terms and no salesman or representative is authorized to alter them in any way unless confirmed from the office in writing.

SPECIAL SELECTION

Where extra heavy or specimen plants are selected and marked, an additional 25% will be added to our list price.

CLAIMS

All sales are made with the understanding that we shall not be liable in event of crop loss, or of damage from other causes over which we have no control.

We will gladly correct any errors, but we cannot entertain any claims that are not made within ten days after receipt of the stock or are made after the stock has once been accepted. Claims should be made promptly in writing on receipt of stock.

Plants become your property upon delivery to transportation company and we cannot be responsible for loss, damage, or delay in transit.

All orders booked are based on the distinct understanding that the purchaser agrees to the condition of sales as stated above.

SCHEDULE OF B&B CHARGES

The following charges are made to cover additional cost of balling and burlapping deciduous trees and shrubs that are not listed B&B. The size of ball for most stock is in accordance with the A.A.N. "Horticultural Standards" recommendations.

These charges are based on a carefully dug, solid ball of earth, laced with rope or wire, and handled according to the best nursery practice.

| TREES, SHRUBS AND SMALL TR |
|----------------------------|
|----------------------------|

| Diam. | | Estimated | |
|------------|--------|-----------|------|
| of ball | Size | Weight | Each |
| 10" | 18/24" | 30 lbs. | .70 |
| 12" | 2/3' | 45 lbs | 1.05 |
| 13" 15" | 3/4' | 60 lbs. | 1.65 |
| 15" | 4/5' | 75 lbs. | 2.20 |
| 16" | 5/6' | 100 lbs. | 2.75 |
| 18" | 6/8' | 150 lbs. | 3.85 |
| 21" | 8/10' | 225 lbs. | 5.50 |

Due to uncertain labor conditions, the following sizes are quoted subject to our ability to get help. In other words, we cannot guarantee to dig these sizes.

| 24" | 2" cal. | 300 | 1bs | 7.40 |
|------------|---------------------|------|-----|-------|
| 28" 32" | $2\frac{1}{2}$ cal. | 500 | lbs | 10.15 |
| 32" | 3" cal. | 750 | 1bs | 13.75 |
| 36" | 3½ cal. | 1150 | 1bs | 20.60 |
| 40" | 4" cal. | 1600 | 1bs | 27.50 |
| 44" | 4½ cal. | 2100 | 1bs | 34.35 |
| 48" | 5" cal. | 2750 | lbs | 41.25 |
| 54" | | 4000 | 1bs | 61.50 |
| 60" | | | 1bs | |
| | | | | |

The above charges apply only F.O.B. NURSERY. We will be glad to estimate a delivered price based on the terms of delivery on page 3.

Ball depth will normally be not less than 60% of the diameter, and in all cases

is adjusted so as to encompass a maximum of the fibrous root system of the plant.

PLATFORMS

Platforms, if required, will be charged for at the following schedule of prices based on actual cost of labor and material.

The amount so charged will be rebated, providing customers return platforms at their own expense.

| Platform | Usual | * |
|----------|------------|--------|
| size | Ball Size | Charge |
| 24" Sq. | 30" to 36" | \$2.00 |
| 28" Sq. | 32" to 40" | 2.25 |
| 30" Sq. | 36" to 44" | 2.50 |
| 32" Sq. | 40" to 48" | 3.00 |
| 36" Sq. | 48" to 54" | |
| 40" Sq. | 54" to 60" | 5.00 |

BOXING CHARGES

| Length | 12x15" | 15x16" | 17x20" | 19x24" | 23x28" | 27×32" | 32x36" |
|--------|--------|--------|--------|--------|--------|--------|--------|
| 4' | \$1.40 | 1.60 | 1.90 | 2.40 | 2.60 | 3.00 | 2.60 |
| 6′ | 2.10 | 2.40 | 2.85 | 3.60 | 3.90 | 4.50 | 5.40 |
| 8′ | 2.80 | 3.20 | 3.80 | 4.80 | 5.10 | 6.00 | 7.20 |
| 10' | 3.50 | 4.00 | 4.75 | 6.00 | 6.50 | 7.50 | 9.00 |
| 12' | 4.20 | 4.80 | 5.70 | 7.20 | 7.80 | 9.00 | 10.80 |
| 14' | 4.90 | 5.60 | 6.65 | 8.40 | 9.10 | 10.50 | 12.60 |

Packing charges are at cost and represent the actual cost of the material used in the operation. No charge will be made for loading bulk truck or car lots.

DELIVERY SERVICE

DELIVERY CHARGES ARE NET AND DUE WHEN STOCK IS DELIVERED.

DELIVERING AGENT OR DRIVER WILL COLLECT THIS CHARGE WHEN DELIVERY IS MADE.

We cannot guarantee to make deliveries, but will be glad to estimate the delivery cost and to arrange for trucking of your orders contingent on our ability at the time to use our own equipment or hire trucking.

"CARLOADS" AND FREIGHT SHIPMENT

With our own railroad siding connecting with the main line of the Pennsylvania Railroad and a daily pickup service on L.C.L. and express shipments, we are in a position to expedite shipment to you without delay. Consult your local agent for rates to Monmouth Junction, N. J., or write us and we will gladly take care of it for you.

GUARANTEE OF GENUINENESS

We will send out healthy, thrifty stock, true to name. If any nursery stock proves untrue to description or variety name under which it is sold, we hold ourselves in readiness, on proper proof, to replace free of charge such stock that may prove untrue to description or name, or refund the original amount paid. We shall in no case be liable for any sum greater than the amount originally received for said stock.

COME TO SEE US

If you come by rail, use Pennsylvania Railroad and get off at Princeton Junction. Call Princeton 1776. We will send a car for you.

If you come by automobile our nurseries are on U. S. Highway No. 1, about ten miles northeast from Trenton. Watch for our signs

NOTES IN EXPLANATION OF CATALOGUE

The figures following each variety indicate in feet the approximate height of that plant at maturity. Ample allowance has been made for the many physical factors that tend to modify the growth of plants in cultivation.

The botanical and common names are largely taken from the 1924 edition of "Standardized Plant Names." Changes in nomenclature according to the revised "Second Edition," which have not become generally familiar to the trade, are shown in parenthesis and cross-indexed for reference.

Our standard of grading all plants is based on a schedule which has been adopted by the American Association of Nurserymen.

To facilitate the handling of orders and to enable us to render you quicker and better service we desire where possible, especially in deciduous material, that orders be made in multiples of 10. Many varieties are tied in 10's when graded. Your cooperation will be appreciated.

| | Unit Pri | ce in Quai 10-49 | tities 50-249 |
|--------------------------------------|-----------|---------------------|------------------|
| ABELIA grandiflora, 3'-4' | | Gloss | y Abelia |
| 12 to 15 in., pots or B&B | .90 | .75 | .60 |
| 15 to 18 in., pots or B&B | 1.50 | 1.25 | 1.00 |
| 18 to 24 in., pots or B&B | 1.95 | 1.60 | |
| ACANTHOPANAX pentaphylum (sieboldian | us) 7'-8' | Firelea | f Aralia |
| 18 to 24 in | .52 | .45 | .35 |
| 2 to 3 ft | .70 | .55 | .45 |
| 3 to 4 ft | .85 | .70 | .55 |
| 4 to 5 ft | 1.10 | .95 | .75 |
| JAPANESE MAPLE | re. | | |
| | | | |
| ACER palmatum atropurpureum, 6'-8' | Jaj | panese Re | d Maple |
| 12 to 15 in., B&B | 4.50 | 3.75 | |
| 15 to 18 in., B&B | | 5.00 | |
| 18 to 24 in., B&B | 7.50 | 6.00 | - |
| ——— nigrum, 6'-8' | | | |
| 18 to 24 in., B&B | 9.00 | 7.50 | - |
| | | | |
| ACER — — MAPLE | ES | | |
| ACER buergerianum, 40' | | Triđen | nt Maple |
| 2 to 3 ft | 1.25 | 1.05 | .85 |
| 3 to 4 ft | 1.65 | 1.35 | 1.10 |
| 4 to 5 ft | 2.00 | | 1.35 |
| — campestre, 25' | | Hedg | e Maple |
| 6 to 8 ft | 4.35 | 3.60 | 2.90 |
| 8 to 10 ft | 5.35 | 4.50 | |
| — dasycarpum, 60'-80' | | Silve | r Maple |
| 6 to 8 ft | 1.90 | 1.50 | _ |
| 8 to 10 ft., 1 to 1¼ in | 2.60 | 2.20 | 1.75 |

| | Unit Pr 1-9 | rice in Quant 10-49 | tities 50-24 9 |
|---|----------------------|------------------------|--------------------------|
| ACER ginnala, 10'-12' | | Amui | Maple |
| 3 to 4 ft | 1.10 | .95 | .75 |
| 4 to 5 ft | 1.50 | 1.25 | 1.00 |
| 6 to 8 ft | 3.00 | 2.50 | 2.00 |
| - platanoides, 50'-75' | | Norway | Maple |
| 3 to 4 ft. Whips | .70 | .55 | .45 |
| 5 to 6 ft. Whips | 1.30 | 1.10 | .90 |
| 6 to 7 ft. Whips | 1.65 | 1.35 | 1.10 |
| 4 to 5 ft. Branched | 2.25 | 1.90 | 1.50 |
| 5 to 6 ft. Branched | 3.00 | 2.50 | 2.00 |
| 6 to 8 ft. Branched | 4.50 | $\frac{3.75}{4.40}$ | 3.00 |
| 8 to 10 ft., 1 to 1¼ in | $\frac{5.25}{6.75}$ | 5.50 | $\frac{3.50}{4.50}$ |
| 10 to 12 ft., 1½ to 1¾ in | 9.00 | 7.50 | 6.00 |
| 11 to 13 ft., 1 ¾ to 2 in | 11.20 | 9.50 | 7.50 |
| —— columnare, 50'-75' | | nar Norway | |
| 5 to 6 ft | 4.50 | 3.75 | 3.00 |
| —— schwedleri, 40'-60' | 4.00 | Schwedler | |
| | 4.05 | | |
| 6 to 8 ft | $\frac{4.65}{6.35}$ | $\frac{4.05}{5.30}$ | $\frac{3.25}{4.25}$ |
| 8 to 10 ft., 1¼ to 1½ in. | 8.50 | 7.00 | 5.50 |
| 9 to 12 ft., 1½ to 1¾ in | 10.50 | 8.80 | 7.00 |
| — rubrum, 50'-75' | Red or Scarlet Maple | | |
| 6 to 8 ft | 3.75 | 3.00 | 2.50 |
| 8 to 10 ft., 1 to 1¼ in. | 4.65 | 4.05 | 3.25 |
| 9 to 11 ft., 1¼ to 1½ in | 6.75 | 5.50 | 4.50 |
| 10 to 12 ft., 1½ to 1¾ in | 9.00 | 7.50 | 6.00 |
| 11 to 13 ft., 13/4 to 2 in | 11.20 | 9.50 | 7.50 |
| — saccharum, 50'-75' | | Sugar | Maple |
| 6 to 8 ft | 3.75 | 3.00 | 2.50 |
| 8 to 10 ft., 1 to 1¼ in | 4.65 | 4.05 | 3.25 |
| 9 to 11 ft., 1½ to 1½ in | 6.75 | 5.50 | 4.50 |
| 10 to 12 ft., 1½ to 1¾ in | 9.00 | 7.50 | |
| 11 to 13 ft., 13/4 to 2 in | 11.20 | 9.50 | 7.50 |
| 12 to 14 ft., 2 to 2½ in | 15.00 | 12.25 | 10.00 |
| ACTINIDIA arguta, 20'-30' | e o | Border Ac | tinidia |
| 18 to 24 in. | $\frac{.60}{.75}$ | .60 | .50 |
| 2 to 3 ft | .90 | .75 | .60 |
| AKEBIA quinata, 15'-20' | | Fiveleaf . | |
| 2 year | .60 | .50 | .40 |
| AMELANCHIER canadensis (Botryapium), | | Downy Sha | |
| 18 to 24 in | .85 | .70 | .55 |
| 2 to 2½ ft | 1.00 | .80 | .65 |
| 2½ to 3 ft | 1.20 | 1.00 | .80 |
| AMORPHA fruticosa, 3'-4' | 0.0 | | gobush |
| 2 to 3 ft | $.60 \\ .75$ | .50 $.60$ | .40 $.50$ |
| 3 to 4 ft | .90 | .75 | .60 |
| | | | |
| AMPELOPSIS quinquefolia, 30'-50' (Partheocissus q.) | | Virginia C | reeper |
| 1 year | .22 | .20 | .15 |
| 2 year | .30 | .25 | .20 |
| | | | |

| | | Price in Qua | |
|--|---------------------|--------------|------------------|
| | 1-9 | 10-49 | 50-249 |
| AMPELOPSIS quinquefolia engelmanni, 30' | -40' | Engelmann | Creeper |
| 1 year | | .20 | .15 |
| 2 year | | .25 | .20 |
| The second secon | | | |
| — tricuspidata veitchi, 40'-50' | | Во | ston Ivy |
| 12 to 18 in., 1 year | .45 | .37 | .30 |
| 18 to 24 in., 2 year | .60 | .50 | .40 |
| 3 in pots | .60 | .50 | .40 |
| 4 in. pots | .75 | .60 | .50 |
| | | | |
| —————————————————————————————————————— | | Geranium | Creeper |
| 3 in. pot | .90 | .75 | .60 |
| | | | 1.7.7 |
| AMYGDALIS persica, 8'-10' | Doub | ole Flowerin | g Peach |
| Colors: White, Pink and Red. | | | |
| 2 to 3 ft | .70 | .55 | .45 |
| 3 to 4 ft | .85 | .70 | .55 |
| 4 to 5 ft | 1.00 | .80 | .65 |
| 1 00 0 10 | 1.00 | .00 | .00 |
| ARALIA spinosa, 18'-20' | | Heren | les-club |
| A tropical appearing tree. White flowers i | n Inly | | |
| 4 to 5 ft | | .95 | |
| 5 to 6 ft | $\frac{1.10}{1.50}$ | 1.25 | 1.00 |
| 9 to 6 It | 1.00 | 1.20 | 1.00 |
| ARONIA arbutifolia, 6'-8' | | Dod Oho | la hamma |
| | | Red Cho | |
| 18 to 24 in | .70 | .55 | .45 |
| 2 to 3 ft | .85 | .70 | .55 |
| 3 to 4 ft | 1.05 | .90 | .70 |
| - brilliantissima, 6'-8' | Drillia | ant Red Cho | Irohower |
| | | | |
| 18 to 24 in | .75 | .60 | .50 |
| 2 10 3 11 | .50 | .10 | .60 |
| — melanocarpa (nigra), 8'-10' | | Black Cho | lr o h o m m r r |
| | | | |
| 12 to 18 in | .52 | .45 | .35 |
| 18 to 24 in | .70 .85 | .55 | .45 .55 |
| 2 to 3 it | .00 | .10 | .00 |
| AZALEAS (DILODODEN | DDON | | |
| AZALEAS (RHODODEN | DKUN) | | |
| AZALEA amoena (Rhodo, obtrusum amoenu | ım) 3'-4 | ' Amoena | Azalea |
| 6 to 8 in., B&B | .90 | .75 | .60 |
| 8 to 10 in., B&B | 1.30 | 1.10 | .90 |
| 10 to 12 in., B&B | 1.75 | 1.40 | 1.15 |
| 12 to 15 in., B&B | 2.40 | 2.00 | 1.60 |
| 15 to 18 in., B&B | 4.10 | 3.50 | 2.75 |
| | | | |
| — hinodegiri, 3'-4' | | Hinodegiri | Azalea |
| 6 to 8 in., B&B | 1.10 | .95 | .75 |
| 8 to 10 in., B&B | 1.50 | 1.25 | 1.00 |
| 10 to 12 in., B&B | 2.10 | 1.75 | 1.40 |
| 12 to 15 in., B&B | 2.75 | 2.30 | 1.85 |
| | | | |
| — kaempferi, 4'-5' | | Torch | Azalea |
| 15 to 18 in., B&B | 3.40 | .2.80 | 2.25 |
| 18 to 24 in., B&B | 4.50 | 3.75 | 3.00 |
| 2 to 2½ ft., B&B | 6.00 | 5.00 | 4.00 |
| | | | |

| Unit | Price | in | Qu | antities |
|------|-------|-----|----|----------|
| 1.0 | | 10. | 40 | 50-240 |

| AZALEA KAEMPFERI HYBRIDS | | | | | | | |
|--|---------------------|---------------------|---|--|--|--|--|
| Carmen — Rose-pink flowers. 12-15"; 15-18"; 18-24" | | | | | | | |
| Cleopatra — Lilac-rose flowers. 12-15"; 15-18"; 18-24" | | | | | | | |
| Louise — Light-rose flowers. 12-15"; 15-18"; | 18-24"; | 2-2 1/2 ' | | | | | |
| 12 to 15 in., B&B | 2.60 | 2.20 | 1.75 | | | | |
| 15 to 18 in., B&B | 3.50 | $\frac{2.80}{3.75}$ | 2.25 | | | | |
| 18 to 24 in., B&B | $\frac{4.50}{6.00}$ | 5.00 | 3.00 4.00 | | | | |
| | | | 1,00 | | | | |
| KURUME AZALEAS — EVE | | V | | | | | |
| Christmas Cheer — Crimson. 6-9"; 9-12"; 12- | | | | | | | |
| Flame — Brilliant red flowers. 9-12"; 12-15"; | | | | | | | |
| Hatsugiri — Bright purple flowers, compact 18-24" | growth. | 12-15"; | 15-18"; | | | | |
| Hazel Dawson — Purplish-pink, sgl. fls. Ver 15-18" | y hardy | . 9-12"; | 12-15"; | | | | |
| Pink Beauty - Single soft-pink flowers. 9-12 | "; 12-15 | "; 18-24' | '; 2-2 ½' | | | | |
| Pink Pearl - Salmon-rose flowers, heavy bloc | mer. 9-1 | 2"; 12-1 | 5" | | | | |
| Kurume varieties at following prices. | | | | | | | |
| 6 to 9 in., B&B | 1.10 | .95 | .75 | | | | |
| 9 to 12 in., B&B | 1.50 | 1.25 | 1.00 | | | | |
| 12 to 15 in., B&B | $\frac{2.50}{3.40}$ | $\frac{2.05}{2.80}$ | $1.65 \\ 2.25$ | | | | |
| 18 to 24 in., M&B | 5.00 | 4.00 | 3.25 | | | | |
| 2 to 2½ ft., B&B | 6.35 | 5.30 | 4.25 | | | | |
| AZALEA nudiflorum, 6'-8' | | Pinx | erbloom | | | | |
| A native pink Azalea or Honeysuckle in the | nis area. | Blooms | early in | | | | |
| June. Very attractive and hardy. | | | | | | | |
| 18 to 24 in., B&B | 3.00 | 2.50 | | | | | |
| 2 to 2½ ft., B&B | 4.10 | 3.50 | | | | | |
| 2½ to 3 ft., B&B | $\frac{5.25}{7.00}$ | $\frac{4.40}{5.50}$ | | | | | |
| — yodogawa (yedoense) 3'-4' | | Yodogaw | a Azalea | | | | |
| Double, pinkish-lavender flowers, May. Very | | _ | | | | | |
| merit. | naray a | nu 01 020 | Орионии | | | | |
| 9 to 12 in., B&B | 1.75 | 1.45 | 1.20 | | | | |
| 12 to 15 in., B&B | 2.50 | 2.05 | 1.65 | | | | |
| 15 to 18 in., B&B | 3.40 | 2.80 | 2.25 | | | | |
| BENZOIN aestivale (LINDERA benzoin), 10'- | 12' | | picebush | | | | |
| 12 to 18 in | .37 | .30 | .25 | | | | |
| 18 to 24 in | .52 $.90$ | $.45 \\ .75$ | .35 $.60$ | | | | |
| | . 00 | .10 | .00 | | | | |
| BERBERIS — HARDY EVERGREEN TYPES | | | | | | | |
| — julianae, 4'-6' | | ergreen I | Barberry | | | | |
| 12 to 15 in., B&B | 2.25 | 1.90 | 1.50 | | | | |
| 15 to 1 8in., B&B | $\frac{3.00}{3.75}$ | $\frac{2.50}{3.00}$ | $\begin{array}{c} 2.00 \\ 2.50 \end{array}$ | | | | |
| — triacanthophora, 4'-6' | | e Spine I | | | | | |
| 12 to 15 in., B&B | 2.60 | 2.20 | 1.75 | | | | |
| 15 to 18 in., B&B | 3.40 | 2.80 | 2.25 | | | | |
| — verruculosa, 3' | | Warty F | Barberry | | | | |
| 6 to 9 in., B&B | 1.90 | 1.50 | 1.25 | | | | |

| o I Itilioni | | | | |
|-------------------------------------|---------------|---------------------|---------------------|---------------------|
| | 1-9 | 10-49 | 50-249 | 250-up |
| BERBERIS — DECIDUOUS TYPES | | | | |
| thunbergi, 4'-5' | | | Japanese H | Barberry |
| 9 to 12 in., 2 yr. trsp | .23 | .18 | .13 | .11 |
| | .30 | .25 | .20 | $.17\frac{1}{2}$ |
| 15 to 18 in., 2 yr. trsp | .37 | .30 | .25 | .22 1/2 |
| | .52 | .45 | .35 | .30 |
| 2 to 2½ ft., 3 yr. trsp | .70 | .55 | .45 | .40 |
| *BETULA alba (pendula) 30'-50' | | | ropean Whi | |
| 3 to 4 ft | | 1.10 | | .75 |
| 4 to 5 ft | | 1.50 | | 1.00 |
| 5 to 6 ft | | $\frac{2.25}{4.65}$ | $\frac{1.90}{4.05}$ | $\frac{1.50}{3.25}$ |
| 8 to 10 ft 5 to 6 ft., 3 stems | | 2.85 | 2.35 | 1.90 |
| · | | | | |
| * — — laciniata (pen. laciniata), 3 | | | leaf Weepir | |
| 3 to 4 ft | | 1.90 | $1.50 \\ 1.90$ | $1.25 \\ 1.50$ |
| 4 to 5 ft | | $\frac{2.25}{3.00}$ | | 2.00 |
| 5 to 6 ft | | 4.10 | 3.50 | $\frac{2.00}{2.75}$ |
| | | 1.20 | | |
| * — lenta, 40'-50' | | 0.00 | | et Birch |
| 6 to 7 ft | | $\frac{3.30}{4.10}$ | $\frac{2.75}{3.50}$ | |
| 7 to 8 ft | | 4.10 | 3.50 | |
| * — lutea, 50'-70' | | | Yello | w Birch |
| 15 to 18 ft | | 9.00 | 7.50 | |
| * populifolia, 30'-40' | | | Gra | ay Birch |
| 5 to 6 ft | | 1.50 | | 1.00 |
| 6 to 8 ft | | 1.90 | 1.50 | |
| 8 to 10 ft., 1 1/4 to 1 1/2 in | | 2.70 | 2.25 | |
| 10 to 12 ft., 1½ to 1¾ in | | 3.75 | 3.00 | |
| BIGNONIA grandiflora, 25'-40' (Car | npsis gr.) | Chin | ese Trumpe | tcreeper |
| 1 year | | .55 | .45 | .35 |
| 2 year | | .75 | .60 | .50 |
| - radicans, 25'-40' (Campsis rad.) | | | Trumpe | tcreeper |
| 1 year | | .27 | .22 | .18 |
| 2 year | | .40 | .33 | .27 |
| BUDDLEIA | Classessesses | Diame | min m Dasááan | a Duah |
| — Dubonnet, 4'. Lavender. | Summer | . P.IOWE | ering Butter | ny Busn |
| - Farquhari, 4'. Light purple. | | | | |
| | | | | |
| — Orchid Beauty, 4'. | | | | |
| - Pink Charming, 4'-6'. Long panie | cles of pir | nk flow | ers. | |
| — Princeton Red, 4'. | | | | |
| — Princeton White, 4'. | | | | |
| Above varieties at following pri | | | | |
| 18 to 24 in | | .37 | .30 | .25 |
| 2 to 3 ft | | .45 | .37 | .30 |
| 3 to 4 ft | | .55 | .45 | .35 |
| BUXUS sempervirens (bush form), | 12'-15' | | 1 | Boxwood |
| 4 to 6 in., B.R | | .55 | .45 | .35 |
| 6 to 8 in., B.R. | | .70 | .55 | .45 |
| * EXTRA CHARGE FOR DIGG | ING RIR | PATE | D&D CDD | D & D |

^{*} EXTRA CHARGE FOR DIGGING BIRCHES, B&B. SEE B&B SCHEDULE, PAGE 2.

| | Unit P | rice in Quar 10-49 | |
|---|---|--|----------------|
| BUXUS sempervirens (Cont.) | 1-0 | 10-10 | 90-2410 |
| —— suffruticosa, 3'-4' | | Dwarf Box | Edging |
| 4 to 6 in., B.R | .55 | .45 | .35 |
| 6 to 8 in., B.R | .70 | .55 | .45 |
| CALLICARPA purpurea, 3'-4' | C | hinese Beau | ityberry |
| 12 to 18 in. | .45 | .37 | .30 |
| 18 to 24 in | .60 | .50 | .40 |
| CALYCANTHUS floridus, 4'-5' | | Swee | t Shrub |
| 12 to 18 in | .45 | .37 | .30 |
| 18 to 24 in | $.60 \\ .75$ | .50 $.60$ | .40 |
| | | TY. | |
| CARPINUS betulus, 60'-75' 4 to 5 ft., B&B | 9.00 | uropean Ho | 6.00 |
| 5 to 6 ft., B&B | 13.50 | | 9.00 |
| 6 to 8 ft., B&B | 18.00 | 15.00 | 12.00 |
| - caroliniana, 30'-40' | A | merican Ho | rnbeam |
| 4 to 5 ft., B&B | 9.00 | | |
| 5 to 6 ft., B&B | 12.00 | | 8.00 |
| 6 to 8 ft., B&B | $15.00 \\ 19.00$ | | |
| | | | |
| — japonica, 30'-40' | | Tapanese Ho | |
| 8 to 10 ft., B&B | $\begin{array}{c} 15.00 \\ 19.00 \end{array}$ | | |
| | | | |
| CELASTRUS orbiculatus, 15'-20' 18 to 24 in., 1 year | | riental Bitt | |
| 2 to 3 ft., 2 year | .45 | $\begin{array}{c} .30 \\ .37 \end{array}$ | .30 |
| scandens, 15'-20' | Δn | nerican Bitt | ersweet |
| 18 to 24 in., 1 year | .37 | 3.0 | 95 |
| 2 to 3 ft., 2 year | .45 | .37 | .30 |
| CEPHALANTHUS occidentalis, 5'-6' | | But | tonbush |
| 18 to 24 in | .45 | .37 | |
| 2 to 3 ft | .60 | .50 | .40 |
| 3 to 4 ft | .75 | .60 | .50 |
| CERCIDIPHYLLUM japonicum, 20'-30' | | | ura-tree |
| 2 to 3 ft., B&B 3 to 4 ft., B&B | 3.90 | 3.25 | |
| 10 to 12 ft., B&B | $\begin{array}{c} 4.75 \\ 19.00 \end{array}$ | $\begin{array}{c} 4.00 \\ 15.00 \end{array}$ | |
| | | | Dadhud |
| CERCIS canadensis, 12'-15' | .37 | American | .25 |
| 12 to 10 III | .01 | .00 | . 2 0 |
| — chinensis, 10'-12' | 4 | Chinese | |
| 2 to 3 ft | $\begin{array}{c} 1.50 \\ 2.25 \end{array}$ | $\substack{1.25\\1.90}$ | $1.00 \\ 1.50$ |
| 5 to 1 lt | 4.40 | 1.00 | 7.00 |
| CHAMAECYPARIS — THE RE | TINOSP | ORAS | |
| CHAMAECYPARIS pisifera, 25'-35' | S | awara Reti | nospora |
| 15 to 18 in., B&B | 1.50 | 1.25 | 1.00 |
| 18 to 24 in., B&B | 2.25 | 1.90 | 1.50 |

| 10 PRINCETON NOTES | 101120 | | |
|-------------------------------------|---------------------|-----------------|-----------------|
| | Unit I 1-9 | Price in Qu | |
| CHAMAECYPARIS pisifera, 25'-35' | | | |
| — — aurea, 25'-35' | Golden | Sawara R | einospora |
| 15 to 18 in., B&B | 1.50 | 1.25 | |
| 18 to 24 in., B&B | | 1.90 | 1.50 |
| — plumosa, 25'-35' | | Plume Re | tinospora |
| 15 to 18 ft., B&B | 1.50 | 1.25 | 1.00 |
| 18 to 24 in., B&B | 2.25 | | |
| 2 to 2½ ft., B&B | 3.00 | 2.50 | 2.00 |
| — — aurea, 20'-25' | | Golden Re | etinospora |
| 12 to 15 in., B&B | 1.50 | 1.25 | |
| 15 to 18 in., B&B | $\frac{1.90}{2.60}$ | $1.50 \\ 2.20$ | $1.25 \\ 1.75$ |
| 18 to 24 in., B&B | 2.00 | | |
| CHIONANTHUS virginicus, 15'-18' | | | ringetree |
| 18 to 24 in | 1.05 | | .70 |
| 2 to 3 ft | 1.30 | | |
| CLEMATIS paniculata, 20'-25' | | et Autumn | |
| 1 year | .37 | .30 | |
| 2 year | .55 | .45 | .50 |
| CLETHRA alnifolia 4'-5' | | Sum | mersweet |
| 12 to 18 in | .52 | | .35 |
| 2 to 2½ ft | .90 | .75 | .60 |
| CORNUS alba (sibirica), 8'-10' | Red | Branched | ${\bf Dogwood}$ |
| 18 to 24 in | | .30 | .25 |
| 2 to 3 ft | .60 | .50 | .40 |
| alternifolia, 15'-18' | | Blue | Dogwood |
| 18 to 24 in | .55 | .45 | .35 |
| 2 to 3 ft | .70 | .55 | .45 |
| — amomum (sericea), 10' | | Silky | ${\tt Dogwood}$ |
| 18 to 24 in. | .37 | .30 | |
| 2 to 3 ft | $.60 \\ .75$ | .50 | |
| 4 to 5 ft. | 1.00 | .80 | |
| elegantissima variegata, 6'-8' | | ilverblotch | Dogwood |
| 15 to 18 in | .60 | .50 | .40 |
| — florida, 15′-25′ | | eflowering | |
| 2 to 3 ft., B.R | 1.30 | 1.10 | .90 |
| 3 to 4 ft., B.R. | 2.25 | 1.90 | 1.50 |
| 4 to 5 ft., B.R. | 3.40 | 2.80 | 2.25 |
| 6 to 8 ft., B&B 8 to 10 ft., B&B | $11.20 \\ 17.00$ | $9.50 \\ 14.00$ | 7.50 11.00 |
| 10 to 12 ft., B&B | | 17.50 | 11.00 |
| Larger sizes—prices on application. | | | |
| — paniculata (racemosa), 10'-12' | | Grav | Dogwood |
| 18 to 24 in | .45 | .37 | .30 |
| 2 to 3 ft | .60 | .50 | .40 |
| - sanguinea, 8'-10' | | Bloodtwig | Dogwood |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 3 ft | .60 | .50 | .40 |
| — stolonifera, 7'-8' | | Red-Osier | Dogwood |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 3 ft | .60 | .50 | .40 |
| | | | |

| PRINCEION NORSEI | CILIS | | 11 |
|---|--|---------------------|--------------------|
| | Unit P 1-9 | rice in Qu 10-49 | |
| CORNUS stolonifera | | | |
| —— lutea (flaviramea), 6'-7' | Y | ellowtwig | Dogwood |
| 3 to 4 ft | .75 | | .50 |
| 4 to 5 ft | 1.00 | .80 | .65 |
| CORYLUS americana, 8'-9' | | American | Hazelnut |
| 12 to 18 in | .60 | .50 | .40 |
| 18 to 24 in. | .75 | .60 | |
| 2 to 3 ft | 1.00 | .80 | |
| 3 to 4 ft | 1.25 | 1.05 | |
| COTONEASTER | | | |
| — divaricata, 5'-6' | Spi | eading Co | otoneaster |
| 15 to 18 in., pots or B&B | 2.25 | 1.90 | 1.50 |
| 2 to 2½ ft., pots or B&B | 4.10 | 3.50 | 2.75 |
| 2½ to 3 ft., pots or B&B | 5.60 | 4.75 | 3.75 |
| horizontalis (davidiana), 2'-3' Rock Cot 15": 15-18": 18-24" | oneaste | r, 6-9"; 9 | -12"; 12 |
| — microphylla, 2'-3'. Rockspray. 6-9"; 9-12 | ,, | | |
| Above varieties at following prices: | | | |
| 6 to 9 in., pots or B&B | 1.50 | 1.25 | 1.00 |
| 9 to 12 in., pots or B&B | 1.90 | 1.50 | 1.28 |
| 12 to 15 in., pots or B&B | 2.25 | 1.90 | 1.50 |
| 15 to 18 in., pots or B&B | 3.00 | 2.50 | 2.00 |
| 18 to 24 in., Pots or B&B | 4.10 | 3.50 | 2.78 |
| perpusilla. 6-9"; 9-12"; 12-15"; 15-18"; 1 | 8-24" | | |
| — rotundifolia. 12-15" | | | |
| — simonsi. 18-24"; 2-2½'; 2½-3' | | | |
| Above varieties at following prices: | | | |
| 6 to 9 in., pots or B&B | 1.10 | .95 | .78 |
| 9 to 12 in., pots or B&B | 1.50 | 1.25 | 1.00 |
| 12 to 15 in., pots or B&B | 1.90 | 1.50 | 1.25 |
| 15 to 18 in., pots or B&B | 2.25 | 1.90 | 1.50 |
| 18 to 24 in., pots or B&B | 3.00 | 2.50 | 2.00 |
| 2 to 2½ ft., Pots or B&B | 4.10 | 3.50 | 2.7 |
| 2½ to 3 ft., pots or B&B | 5.60 | 4.75 | 3.78 |
| CRATAEGUS — HAWT | HORN | | |
| CRATAEGUS coccinea (intricata), 15'-20' | | | Hawthorn |
| 3 to 4 ft., B.R | | 2.50 | |
| 4 to 5 ft., B.R. | 4.50 | 3.75 | 3.00 |
| 5 to 6 ft., B&B 8 to 10 ft., B&B | $\begin{array}{c} 9.00 \\ 14.00 \end{array}$ | $7.50 \\ 12.50$ | $\frac{6.0}{11.0}$ |
| · · | | | |
| cordata (phaenopyrum) 12'-15' 3 to 4 ft., B.R | 3.00 | shington 2.50 | 2.0 |
| 4 to 5 ft., B.R. | 4.50 | 3.75 | 3.0 |
| 5 to 6 ft., B&B | 9.00 | 7.50 | 6.0 |
| 6 to 8 ft., B&B | 10.25 | 9.00 | 8.0 |
| 8 to 10 ft., B&B | 14.00 | 12.50 | 11.0 |
| 10 to 12 ft., B&B | 22.40 | 19.00 | 15.0 |
| 12 to 14 ft., B&B | 30.00 | 24.50 | 20.0 |
| — crusgalli, 15' | | | pur Thor |
| 2 to 3 ft | 2.60 | 2.20 | 1.7 |
| | | | |

| | | rice in Qua | |
|---|---|--|---------------------|
| | 1-9 | 10-49 | 50-249 |
| CRATAEGUS mollis, 15' | | Downy H | |
| 5 to 6 ft., B&B | 9.00 | $\begin{array}{c} 7.50 \\ 10.00 \end{array}$ | 6.00 |
| 6 to 8 ft., B&B 8 to 10 ft., B&B | $\begin{array}{c} 12.00 \\ 17.00 \end{array}$ | 14.00 | $8.00 \\ 11.00$ |
| 10 to 12 ft., B&B | 22.40 | 19.00 | 15.00 |
| 12 to 14 ft., B&B | 30.00 | 24.50 | 20.00 |
| | | Unalia | h Thorn |
| oxycantha, 12'-15' 5 to 6 ft | 9.00 | 7.50 | и тиоги |
| 6 to 8 ft | 11.00 | 9.00 | |
| | | | |
| - oxycantha pauli, 12'-15' | | Scarlet H | |
| 3 to 4 ft., branched | $\begin{array}{c} 2.25 \\ 3.75 \end{array}$ | $\frac{1.90}{3.00}$ | $\frac{1.50}{2.50}$ |
| 4 to 5 ft., branched 5 to 6 ft., branched 5 | 5.25 | 4.40 | $\frac{2.50}{3.50}$ |
| | 0.20 | | |
| — punctata, 25'-30' | 0.00 | Dotted H | |
| 2 to 3 ft | $\frac{2.60}{3.40}$ | $\begin{array}{c} 2.20 \\ 2.80 \end{array}$ | $\frac{1.75}{2.25}$ |
| 4 to 5 ft | 4.50 | 3.75 | 3.00 |
| | | | |
| CYDONIA japonica (chaenomeles lagenaria). | | Flowering | |
| 12 to 18 in | .37 .55 | $.30 \\ .45$ | .25 .35 |
| 10 00 24 111 | .00 | . 10 | .00 |
| HYBRIDS, 4'-5' | | | |
| Boule de feu, double red. 12-18"; 18-24 | | | |
| Cardinalis, red flowering. 12-18"; 18-24 | | | |
| Superba atrosanguinea, redflowering. 12 | | | 4.0 |
| 12 to 18 in | $.60 \\ .90$ | .50 | .40 |
| 2 to 3 ft | 1.20 | 1.00 | .80 |
| DEUTZIA gracilis, 3' | | Clander | Doutsia |
| 9 to 12 in | .45 | .37 | Deutzia .30 |
| 12 to 15 in. | .70 | .55 | .45 |
| 15 to 18 in | .85 | .70 | .55 |
| 18 to 24 in | 1.00 | .80 | .65 |
| — rosea, 3' | | Rose | panicle |
| 9 to 12 in | .45 | .37 | _ |
| 12 to 15 in. | .70 | .55 | .45 |
| 15 to 18 in | .85 | .70 | .55 |
| — lemoinei, 4'-5' | | Lemoine | Deutzia |
| 12 to 18 in. | .60 | .50 | .40 |
| 18 to 24 in | .75 | .60 | .50 |
| 2 to 3 ft | 1.00 | .80 | .65 |
| — magnifica, 9'-10' | Giant | Flowered | Deutzia |
| 2 to 3 ft. | .60 | .50 | .40 |
| 3 to 4 ft. 4 to 5 ft. | .85 | .70 | .55 |
| | 1.00 | .80 | .65 |
| — scabra candidissima, 6'-8' | Do | uble Pink | Deutzia |
| 18 to 24 in | .45 | .37 | .30 |
| 2 to 3 ft | .60 | .50 | .40 |
| 4 to 5 ft | $\begin{array}{c} .85 \\ 1.05 \end{array}$ | $\begin{array}{c} .70 \\ .90 \end{array}$ | .55 |
| | 1.00 | .00 | .70 |

| FRINCEION NORSE | RIES | | 10 |
|---------------------------------------|----------------|-----------------------|-------------------|
| | Unit Pi 1-9 | rice in Quai 10-49 | ntities 50-249 |
| DEUTZIA scabra crenata fl. pl., 6'-8' | Ι | ouble Pink | Deutzia |
| 18 to 24 in | .45 | .37 | .30 |
| 2 to 3 ft | | | .40 |
| 3 to 4 ft | .85 | .70 | .55 |
| 4 to 5 ft | | | |
| | _,,, | | |
| —— Pride of Rochester, 9'-10' | _ | e Flowered | |
| 18 to 24 in | .50 | .40 | .30 |
| 2 to 3 ft | | .50 | .40 |
| 3 to 4 ft | .85 | .70 | .55 |
| 4 to 5 ft | 1.05 | .90 | .70 |
| DIERVILLA sessilifolia (lutea), 4'-5' | Southern | Bush Hone | eysuckle |
| 18 to 24 in. | .52 | | .35 |
| 2 to 3 ft | .70 | .55 | .45 |
| 3 to 4 ft | | .70 | .55 |
| ELAEAGNUS angustifolia, 15'-18' | | | an Olive |
| | 2.0 | | |
| 2 to 3 ft | | .50 | .40 |
| 3 to 4 ft | | .70 | .55 |
| 4 to 5 ft | 1.05 | .90 | .70 |
| longipes (multiflora), 6'-8' | | Cherry El | laeagnus |
| 18 to 24 in | .75 | | |
| | | | |
| — umbellata, 8'-10' | | Autumn H | |
| 18 to 24 in | .45 | .37 | .30 |
| 2 to 3 ft | .60 | .50 | .40 |
| 3 to 4 ft | .90 | .50 .75 | 60 |
| 4 to 5 ft | 1.20 | 1.00 | .80 |
| EUONYMUS alatus campactus, 4'-5' | Dwarf | Winged Eu | ionymus |
| 12 to 15 in | .85 | .70 | |
| 15 to 18 in | 1.10 | .95 | |
| 18 to 24 in | 1.50 | 1.25 | |
| 2 to 3 ft | 2.10 | 1.75 | |
| — europaeus, 12'-14' | Euro | pean Burni | ing bush |
| 18 to 24 in | | .45 | |
| 2 to 3 ft | | .55 | |
| — radicans, 3'-4' | | | rcreeper |
| 6 to 9 in., 1 year | .50 | .40 | - |
| 9 to 12 in., 2 year | .60 | .50 | .40 |
| | | aved Winte | |
| · · · · · · · · · · · · · · · · · · · | | | _ |
| 9 to 12 in., 2 year | | .30 | .25 |
| 12 to 15 in, 2 year | | .45 | .35 |
| — — vegetus, 3'-4' | | gleaf Winte | rcreeper |
| 6 to 9 in., 2 year, pots | .70 | .55 | .45 |
| 9 to 12 in., 2 year, pots | .90 | .75 | .60 |
| EXOCHORDA grandiflora, 6'-9' | | Common P | earlbush |
| 18 to 24 in | .45 | .37 | .30 |
| 2 to 3 ft | | .50 | .40 |
| 3 to 4 ft | .75 | .60 | .50 |
| FAGUS sylvatica, 75'-100' | | Europea | n Beech |
| 10 to 12 ft., B&B | 22.50 | 19.00 | 200011 |
| 12 to 14 ft., B&B | | 25.00 | |
| | | | |

| | | ice in Quan | |
|---|--|---|---------------------|
| | 1-9 | | 50-249 |
| FAGUS sylvatica asplenifolia, 20'-30' | | Fernlea | f Beech |
| 2 to 3 ft., B&B | 5.25 | 4.40 | |
| 3 to 4 ft., B&B | $\begin{array}{c} 6.75 \\ 10.25 \end{array}$ | $\begin{array}{c} 5.50 \\ 8.25 \end{array}$ | |
| 4 to 5 ft., B&B | 15.75 | 12.10 | |
| 5 to 6 It., B&B | 10.10 | 12.10 | |
| — fastigiata, 25' | | amidal Eur | . Beech |
| 3 to 4 ft., B&B | 5.25 | $\begin{array}{c} 4.40 \\ 6.60 \end{array}$ | |
| 4 to 5 ft., B&B | 8.00 10.50 | 8.80 | |
| 5 to 6 ft., B&B | 14.30 | 11.65 | |
| 0 to 1 It., D&D | 11.00 | 11.00 | |
| — — Riversi, 40'-60' | River' | s European | n Beech |
| 2 to 3 ft., B&B | 7.00 | 5.50 | |
| | | | |
| FORSYTHIA intermedia, 6'-8' | 0.0 | Border Fo | |
| 2 to 3 ft | .60 | .50 | .40 |
| —— spectabilis, 6'-8' | Showy | Border F | orsythia |
| 18 to 24 in | .45 | | .30 |
| 2 to 3 ft | .60 .85 | .50 | .40 |
| 3 to 4 ft | .85 | .70 | .55 |
| — suspensa, 4'6' | , | Weeping F | orgythia |
| 12 to 18 in | .30 | .27 | .22 |
| 18 to 24 in. | .45 | .37 | .30 |
| 2 to 3 ft | .60 | .50 | .40 |
| | | | |
| — fortunei, 7'-8' | | Fortune F | |
| 12 to 18 in. | .30 | .25 | |
| 18 to 24 in | .45 .60 | $\begin{matrix} .37 \\ .50 \end{matrix}$ | .30 $.40$ |
| 2 to 5 it | .00 | .50 | .40 |
| — viridissima, 7'-8' | Gı | eenstem F | orsythia |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 3 ft | .55 | .45 | .35 |
| FRAXINUS americana, 70'80' | | 7371 | hito Aab |
| 6 to 8 ft | 2.25 | | hite Ash 1.50 |
| 8 to 10 ft | 3.00 | $\begin{array}{c} 1.90 \\ 2.50 \end{array}$ | |
| 8 to 10 ft., 1¼ to 1½ in. | 4.50 | 3.75 | 3.00 |
| 10 to 12 ft., 1½ to 1¾ in. | 6.75 | 5.50 | 4.50 |
| 11 to 13 ft., 1¾ to 2 in | 8.50 | 7.00 | 5.50 |
| GINKGO biloba (Salisburia), 50'-75' | | Maidenh | air Tree |
| 4 to 6 ft | 2.25 | 1.90 | 1.50 |
| 6 to 8 ft | 3.00 | 2.50 | 2.00 |
| 8 to 10 ft | 4.50 | 3.75 | 3.00 |
| 8 to 10 ft., 1¼ to 1½ in | 6.00 | 5.00 | 4.00 |
| 10 to 12 ft., 1½ to 1¾ in | 9.00 | 7.50 | 6.00 |
| 10 to 12 ft., 1 ¾ to 2 in | 12.00 | 10.00 | 8.00 |
| | 15.00 | 12.25 | 10.00 |
| GLEDITSIA triacanthus, 60'-70' | | mmon Hon | eylocust |
| 6 to 8 ft 8 to 10 ft., 1 to 1 ¼ in | 2.25 | 1.90 | 1.50 |
| 8 to 10 ft., 1 ¼ to 1½ in | $\frac{3.00}{2.75}$ | $\frac{2.50}{2.00}$ | 2.00 |
| 10 to 12 ft., 1½ to 1¾ in. | $\frac{3.75}{7.50}$ | $\begin{array}{c} 3.00 \\ 6.00 \end{array}$ | $\frac{2.50}{5.00}$ |
| , | 1.00 | 0.00 | 0.00 |

| TIMOETON NOUSE | 1611319 | | 10 |
|--|----------------|-----------------------|------------------|
| | Unit Pr 1-9 | rice in Quan 10-49 | tities 50-249 |
| GLEDITSIA triacanthus inermis, 60'-70' | Tho | rnless Hone | eylocust |
| 6 to 8 ft | 3.00 | 2.50 | 2.00 |
| 8 to 10 ft | 4.50 | 3.75 | 3.00 |
| 8 to 10 ft., 1 1/4 to 1 1/2 in | 7.50 | 6.00 | |
| 10 to 12 ft., 1½ to 1¾ in | 10.50 | 8.80 | |
| 10 to 12 ft., 1 ¼ to 2 in | 13.50 | 11.00 | |
| GYMNOCLADUS dioicus, 40'-50' | К | entucky Co | ffeetree |
| 6 to 8 ft | 4.50 | 3.75 | |
| 8 to 10 ft | 6.00 | 5.00 | |
| 10 to 12 ft | 9.00 | 7.50 | |
| HALESIA tetraptera (carolina), 12'-15' | | Great Si | ilverbell |
| 2 to 3 ft | .75 | .60 | |
| HAMAMELIS virginiana, 10'-12' | Cor | mmon Wite | h Hazel |
| 18 to 24 in | .60 | .50 | .40 |
| 2 to 3 ft | .90 | .75 | .60 |
| 3 to 4 ft | 1.20 | 1.00 | .80 |
| HEDERA helix (hardy strain), 20'-50' | | Eng | lish Ivy |
| | 0.77 | | |
| 15 to 18 in., 3 in pots | .37 | .30 | .25 |
| — baltica, 20'-50' | | Hardy Eng | lish Ivy |
| Hardy strain of Hedera helix. 3 in. pots | .50 | .40 | |
| | | | |
| HIBISCUS syriacus (Althea), 10'-12' | | Shru | b-althea |
| Ardens, double rose violet. | | | |
| Boule de feu, double bright red. | | | |
| Comte de Haimont, double pink, white | mottled | | |
| Jeanne d'Arc, semi-double white. | | | |
| | | | |
| Lucy, double rose red. | | | |
| Paeniflorus, double pink. | | | |
| Pulcherrimus, double pink, crimson cer | iter. | | |
| Purpureus semiplenus, semi-double pur | | | |
| | pro. | | |
| Rubis, single red. Totus alba, single white. | | | |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 3 ft | .52 | .45 | .35 |
| 3 to 4 ft | | .55 | .45 |
| 4 to 5 ft | | .75 | .60 |
| The following selected varieties have exce | | | |
| are slower growers. | | | |
| Coelestis, single blue. 12-18"; 18-24"; | | | |
| W. R. Smith, single white, large flwg. 12 | 2-18"; 18 | -24" | |
| 12 to 18 in | .37 | .30 | .25 |
| 18 to 24 in | .52 | .45 | .35 |
| 2 to 3 ft | .70 | .55 | .45 |
| HYDRANGEA arborescens grandiflora alba, (sterilis) | 4'-5'. Si | nowhill Hy | drangea |
| 12 to 18 in | .37 | .30 | .25 |
| 18 to 24 in | .55 | .45 | .35 |
| 2 to 3 ft | .70 | .55 | .45 |
| 3 to 4 ft | .85 | .70 | .55 |
| J 10 7 11 | .00 | | .00 |

| 9 to 12 in., 1 yr. field grown heavy strong roots | | Unit Pri | ice in Quan 10-49 | |
|--|--------------------------------|------------|----------------------|---------------------|
| 6 to 9 in., 1 yr. field grown heavy strong roots | HYDRANGEA Otaksa, 2'-3' | | Blue Hy | drangea |
| 9 to 12 in., 1 yr. field grown heavy strong roots | 6 to 9 in., 1 yr. field grown | | | |
| heavy strong roots | heavy strong roots | .52 | .45 | .35 |
| — paniculata (TYPE), 8'-9' 18 to 24 in | 9 to 12 in., 1 yr. field grown | | | |
| 18 to 24 in | heavy strong roots | .75 | .60 | .50 |
| 18 to 24 in | neniculate (TVDE) 2/-0/ | T | Paniela Hyd | dranges |
| 2 to 3 ft. | | | | |
| 12 to 18 in | | | | .55 |
| 12 to 18 in | | , | Dancina III | |
| 18 to 24 in .55 .45 .3 2 to 3 ft .70 .55 .41 3 to 4 ft .85 .70 .56 —grandiflora standard, 8'-9' Tree Hydranges 2 to 3 ft 1.10 .95 .77 4 to 5 ft 2.25 1.90 1.56 —quercifolia, 3'-4' Oak Leaf Hydranges 18 to 24 in 1.20 1.00 .77 2 to 3 ft 1.50 1.25 1.00 HYPERICUM aureum, 3'-4' Golden St. Johnswor 18 to 24 in .45 .37 .30 2 to 3 ft .60 .50 .46 — densiflorum, 4'-5' Shrubby St. Johnswor 18 to 24 in .45 .37 .3 2 to 3 ft .60 .50 .46 — prolificum, 4'-5' Shrubby St. Johnswor 18 to 24 in .45 .37 .3 2 to 3 ft .60 .50 .46 HILEX crenata, 8'-10' Japanese Holly 12 to 15 in., B&B 2.25 1.90 1.56 15 to 18 | | | | |
| 2 to 3 ft. 3 to 4 ft. 85 .70 .55 .44 3 to 4 ft. 85 .70 .55 .56 .45 .56 .70 .56 .46 3 to 4 ft. 85 .70 .56 .46 .46 .46 .46 .46 .46 .46 .46 .46 .4 | | | | .35 |
| 3 to 4 ft | | | | .45 |
| 2 to 3 ft. | | | | .55 |
| 2 to 3 ft. | crondidore standard 8'-0' | | Tree Hy | drongoo |
| 4 to 5 ft. 2.25 1.90 1.56 — quercifolia, 3'-4' Oak Leaf Hydranges 18 to 24 in. 1.20 1.00 .75 2 to 3 ft. 1.50 1.25 1.00 HYPERICUM aureum, 3'-4' Golden St. Johnswor 18 to 24 in. .45 .37 .36 2 to 3 ft. .60 .50 .46 — densiflorum, 4'-5' 8 to 24 in. .45 .37 .36 2 to 3 ft. .60 .50 .46 — prolificum, 4'-5' Shrubby St. Johnswor 18 to 24 in. .45 .37 .36 2 to 3 ft. .60 .50 .46 — prolificum, 4'-5' Shrubby St. Johnswor 18 to 24 in. .45 .37 .36 2 to 3 ft. .60 .50 .46 Hubby St. Johnswor 18 to 24 in. .45 .37 .36 2 to 3 ft. .60 .50 .46 Hubby St. Johnswor 18 to 24 in. .8&B .2.25 1.90 1.56 15 to 18 in., B&B 3.00 2.50 </td <td></td> <td>1.10</td> <td></td> <td></td> | | 1.10 | | |
| — quercifolia, 3'-4' Oak Leaf Hydranges 18 to 24 in. 1.20 1.00 7.7 2 to 3 ft. 1.50 1.25 1.00 HYPERICUM aureum, 3'-4' Golden St. Johnswor 18 to 24 in. .45 .37 .30 2 to 3 ft. .60 .50 .40 — densiflorum, 4'-5' 345 .37 .30 18 to 24 in. .45 .37 .30 2 to 3 ft. .60 .50 .40 — prolificum, 4'-5' Shrubby St. Johnswor 18 to 24 in. .45 .37 .30 2 to 3 ft. .60 .50 .40 HUEX crenata, 8'-10' Japanese Holly 12 to 15 in., B&B 2.25 1.90 1.56 15 to 18 in., B&B 3.00 2.50 2.00 18 to 24 in., B&B 3.00 2.50 2.00 18 to 24 in., B&B 4.50 3.75 3.00 2 to 2½ ft., B&B 6.75 5.50 4.50 — convex (bullata), 4'-5' Convex leaved Holly 9 to 12 in., B&B 3.00 2.50 2.00 15 to 18 in., B&B 3.00 2.50 2.00 15 to 18 in., B&B 3.75 3.00 2.50 — microphylla, 6'-8' Littleleaf Japanese Holly 12 to 15 in., B&B 2.25 1.90 1.56 15 to 18 in., B&B 3. | | | | 1.50 |
| 18 to 24 in. 1.20 1.00 .78 2 to 3 ft. 1.50 1.25 1.00 HYPERICUM aureum, 3'-4' Golden St. Johnswor 18 to 24 in. .45 .37 .36 2 to 3 ft. .60 .50 .46 — densiflorum, 4'-5' 18 to 24 in. .45 .37 .36 2 to 3 ft. .60 .50 .46 — prolificum, 4'-5' Shrubby St. Johnswor 18 to 24 in. .45 .37 .30 2 to 3 ft. .60 .50 .46 — prolificum, 4'-5' Shrubby St. Johnswor 18 to 24 in. .45 .37 .30 2 to 3 ft. .60 .50 .46 — Japanese Holly 12 to 15 in., B&B 3.00 2.50 2.00 18 to 24 in., B&B 3.00 2.50 2.00 18 to 24 in., B&B 1.90 1.50 1.25 12 to 15 in., B&B 3.00 2.50 2.00 15 to 18 in., B&B 3.00 2.50 2.00 | | | | |
| 2 to 3 ft. 1.50 1.25 1.00 HYPERICUM aureum, 3'-4' Golden St. Johnswor 18 to 24 in. 45 .37 .30 2 to 3 ft. 60 .50 .40 — densifiorum, 4'-5' 18 to 24 in. 50 .50 .40 — prolificum, 4'-5' Shrubby St. Johnswor 18 to 24 in. 50 .50 .40 — prolificum, 4'-5' Shrubby St. Johnswor 18 to 24 in. 50 .50 .40 ILEX crenata, 8'-10' Japanese Holly 12 to 15 in., B&B .2.25 1.90 1.50 15 to 18 in., B&B .3.00 2.50 2.00 18 to 24 in., B&B .4.50 3.75 3.00 2 to 2½ ft., B&B .6.75 5.50 4.50 — convexa (bullata), 4'-5' Convex leaved Holly 9 to 12 in., B&B .1.90 1.50 1.25 12 to 15 in., B&B .3.00 2.50 2.00 15 to 18 in., B&B .3.30 2.75 2.20 18 to 24 in., B&B .5.00 4.00 3.23 | | | | |
| HYPERICUM aureum, 3'-4' Golden St. Johnswor 18 to 24 in. .45 .37 .36 2 to 3 ft. .60 .50 .46 — densifiorum, 4'-5' 18 to 24 in. .45 .37 .36 2 to 3 ft. .60 .50 .46 — prolificum, 4'-5' Shrubby St. Johnswor 18 to 24 in. .45 .37 .30 2 to 3 ft. .60 .50 .46 ILEX crenata, 8'-10' Japanese Holly 12 to 15 in., B&B 2.25 1.90 1.56 15 to 18 in., B&B 3.00 2.50 2.00 18 to 24 in., B&B 4.50 3.75 3.00 2 to 2½ ft., B&B 6.75 5.50 4.50 — convexa (bullata), 4'-5' Convex leaved Holly 9 to 12 in., B&B 1.90 1.50 1.25 12 to 15 in., B&B 3.00 2.50 2.00 15 to 18 in., B&B 3.75 3.00 2.50 — microphylla, 6'-8' Littleleaf Japanese Holly 12 to 15 in., B&B | | | | |
| 18 to 24 in. .45 .37 .36 2 to 3 ft. .60 .50 .46 — densiflorum, 4'-5' .37 .36 18 to 24 in. .60 .50 .46 — prolificum, 4'-5' Shrubby St. Johnswor 18 to 24 in. .45 .37 .36 2 to 3 ft. .60 .50 .46 ILEX crenata, 8'-10' Japanese Holly 12 to 15 in., B&B 2.25 1.90 1.56 15 to 18 in., B&B 3.00 2.50 2.00 18 to 24 in., B&B 3.00 2.50 2.00 18 to 24 in., B&B 1.90 1.50 1.21 12 to 15 in., B&B 1.90 1.50 1.21 12 to 15 in., B&B 3.00 2.50 2.00 15 to 18 in., B&B 3.75 3.00 2.50 — microphylla, 6'-8' Littleleaf Japanese Holly 12 to 15 in., B&B 2.25 1.90 1.50 15 to 18 in., B&B 3.30 2.75 2.20 18 to 24 in., B&B 5.00 4.00 3.23 — g | 2 to 5 tt | 1.00 | 1.20 | 1.00 |
| 2 to 3 ft | , . | Gold | len St. Jol | nswort |
| - densiflorum, 4'-5' 18 to 24 in | | | | |
| 18 to 24 in .45 .37 .36 2 to 3 ft .60 .50 .40 — prolificum, 4'-5' Shrubby St. Johnswor 18 to 24 in .45 .37 .30 2 to 3 ft .60 .50 .40 ILEX crenata, 8'-10' Japanese Holly 12 to 15 in., B&B 2.25 1.90 1.50 15 to 18 in., B&B 3.00 2.50 2.00 18 to 24 in., B&B 3.00 2.50 2.00 18 to 24 in., B&B 4.50 3.75 3.00 2 to 2½ ft., B&B 6.75 5.50 4.50 — convexa (bullata), 4'-5' Convex leaved Holly 9 to 12 in., B&B 1.90 1.50 1.25 12 to 15 in., B&B 3.00 2.50 2.00 15 to 18 in., B&B 3.75 3.00 2.50 — microphylla, 6'-8' Littleleaf Japanese Holly 12 to 15 in., B&B 2.25 1.90 1.50 15 to 18 in., B&B 3.30 2.75 2.20 15 to 18 in., B&B 3.30 2.75 2.20 18 to 24 i | 2 to 3 ft | .60 | .50 | .40 |
| 2 to 3 ft | densiflorum, 4'-5' | | | |
| — prolificum, 4'-5' Shrubby St. Johnswor 18 to 24 in. .45 .37 .30 2 to 3 ft. .60 .50 .40 ILEX crenata, 8'-10' Japanese Holly 12 to 15 in., B&B 2.25 1.90 1.50 15 to 18 in., B&B 3.00 2.50 2.00 18 to 24 in., B&B 4.50 3.75 3.00 2 to 2½ ft., B&B 6.75 5.50 4.50 ——convexa (bullata), 4'-5' Convex leaved Holly 9 to 12 in., B&B 1.90 1.50 1.25 12 to 15 in., B&B 3.00 2.50 2.00 15 to 18 in., B&B 3.75 3.00 2.50 ——microphylla, 6'-8' Littleleaf Japanese Holly 12 to 15 in., B&B 2.25 1.90 1.50 15 to 18 in., B&B 3.30 2.75 2.20 18 to 24 in., B&B 5.00 4.00 3.25 — glabra, 5'-6' Inkberry | | .45 | .37 | .30 |
| 18 to 24 in .45 .37 .36 2 to 3 ft .60 .50 .46 ILEX crenata, 8'-10' Japanese Holly 12 to 15 in., B&B 2.25 1.90 1.56 15 to 18 in., B&B 3.00 2.50 2.00 18 to 24 in., B&B 4.50 3.75 3.00 2 to 2½ ft., B&B 6.75 5.50 4.50 | 2 to 3 ft | .60 | .50 | .40 |
| 2 to 3 ft | prolificum, 4'-5' | Shrul | bby St. Jol | nswort |
| ILEX crenata, 8'-10' Japanese Holly 12 to 15 in., B&B 2.25 1.90 1.50 15 to 18 in., B&B 3.00 2.50 2.00 18 to 24 in., B&B 4.50 3.75 3.00 2 to 2½ ft., B&B 6.75 5.50 4.50 ——convexa (bullata), 4'-5' Convex leaved Holly 9 to 12 in., B&B 1.90 1.50 1.23 12 to 15 in., B&B 3.00 2.50 2.00 15 to 18 in., B&B 3.75 3.00 2.50 ——microphylla, 6'-8' Littleleaf Japanese Holly 12 to 15 in., B&B 2.25 1.90 1.50 15 to 18 in., B&B 3.30 2.75 2.20 18 to 24 in., B&B 5.00 4.00 3.23 — glabra, 5'-6' Inkberry | 18 to 24 in. | .45 | .37 | .30 |
| 12 to 15 in., B&B 2.25 1.90 1.56 15 to 18 in., B&B 3.00 2.50 2.00 18 to 24 in., B&B 4.50 3.75 3.00 2 to 2½ ft., B&B 6.75 5.50 4.50 ——convexa (bullata), 4'-5' Convex leaved Holly 9 to 12 in., B&B 1.90 1.50 1.21 12 to 15 in., B&B 3.00 2.50 2.00 15 to 18 in., B&B 3.75 3.00 2.50 ——microphylla, 6'-8' Littleleaf Japanese Holly 12 to 15 in., B&B 2.25 1.90 1.50 15 to 18 in., B&B 3.30 2.75 2.20 18 to 24 in., B&B 5.00 4.00 3.25 —glabra, 5'-6' Inkberry | 2 to 3 ft | .60 | .50 | .40 |
| 12 to 15 in., B&B 2.25 1.90 1.56 15 to 18 in., B&B 3.00 2.50 2.00 18 to 24 in., B&B 4.50 3.75 3.00 2 to 2½ ft., B&B 6.75 5.50 4.50 — convexa (bullata), 4'-5' Convex leaved Holly 9 to 12 in., B&B 1.90 1.50 1.21 12 to 15 in., B&B 3.00 2.50 2.00 15 to 18 in., B&B 3.75 3.00 2.50 — microphylla, 6'-8' Littleleaf Japanese Holly 12 to 15 in., B&B 2.25 1.90 1.50 15 to 18 in., B&B 3.30 2.75 2.20 18 to 24 in., B&B 5.00 4.00 3.21 — glabra, 5'-6' Inkberry | ILEX crenata, 8'-10' | | Japanes | e Holly |
| 18 to 24 in., B&B 4.50 3.75 3.00 2 to 2½ ft., B&B 6.75 5.50 4.50 ——convexa (bullata), 4'-5' Convex leaved Holly 9 to 12 in., B&B 1.90 1.50 1.20 12 to 15 in., B&B 3.00 2.50 2.00 15 to 18 in., B&B 3.75 3.00 2.50 ——microphylla, 6'-8' Littleleaf Japanese Holly 12 to 15 in., B&B 2.25 1.90 1.50 15 to 18 in., B&B 3.30 2.75 2.20 18 to 24 in., B&B 5.00 4.00 3.21 — glabra, 5'-6' Inkberry | | 2.25 | _ | 1.50 |
| 2 to 2½ ft., B&B 6.75 5.50 4.50 ——convexa (bullata), 4'-5' 9 to 12 in., B&B 1.90 1.50 1.25 12 to 15 in., B&B 3.00 2.50 2.00 15 to 18 in., B&B 3.75 3.00 2.50 ——microphylla, 6'-8' Littleleaf Japanese Holly 12 to 15 in., B&B 2.25 1.90 1.50 15 to 18 in., B&B 3.30 2.75 2.20 15 to 18 in., B&B 3.30 2.75 2.20 18 to 24 in., B&B 5.00 4.00 3.25 — glabra, 5'-6' Inkberry | 15 to 18 in., B&B | | | 2.00 |
| | | | | 3.00 |
| 9 to 12 in., B&B. 1.90 1.50 1.25 12 to 15 in., B&B. 3.00 2.50 2.00 15 to 18 in., B&B. 3.75 3.00 2.50 — microphylla, 6'-8' Littleleaf Japanese Holly 12 to 15 in., B&B. 2.25 1.90 1.50 15 to 18 in., B&B. 3.30 2.75 2.20 18 to 24 in., B&B. 5.00 4.00 3.25 — glabra, 5'-6' Inkberry | | 6.75 | 5.50 | 4.50 |
| 12 to 15 in., B&B 3.00 2.50 2.00 15 to 18 in., B&B 3.75 3.00 2.50 — microphylla, 6'-8' Littleleaf Japanese Holly 12 to 15 in., B&B 2.25 1.90 1.50 15 to 18 in., B&B 3.30 2.75 2.20 18 to 24 in., B&B 5.00 4.00 3.20 — glabra, 5'-6' Inkberry | | | | |
| 15 to 18 in., B&B 3.75 3.00 2.50 — microphylla, 6'-8' Littleleaf Japanese Holly 12 to 15 in., B&B 2.25 1.90 1.50 15 to 18 in., B&B 3.30 2.75 2.20 18 to 24 in., B&B 5.00 4.00 3.25 — glabra, 5'-6' Inkberry | | | | 1.25 |
| microphylla, 6'-8' 12 to 15 in., B&B 15 to 18 in., B&B 18 to 24 in., B&B 18 to 24 in., B&B 19 to 24 in., B&B 10 to 24 in., B&B 10 to 24 in., B&B 11 to 24 in., B&B 12 to 15 in., B&B 13 to 24 in., B&B 15 to 18 in., B&B 16 to 24 in., B&B 17 to 18 in., B&B 18 to 24 in., B&B 19 to 24 in., B&B 10 to 25 in., B&B 11 to 25 in., B&B 12 to 15 in., B&B 13 to 25 in., B&B 15 to 18 in., B&B 16 to 25 in., B&B 17 to 18 in., B&B 18 to 24 in., B&B 19 to 25 in., B&B 10 to 25 | | | | |
| 12 to 15 in., B&B 2.25 1.90 1.50 15 to 18 in., B&B 3.30 2.75 2.20 18 to 24 in., B&B 5.00 4.00 3.25 — glabra, 5'-6' Inkberry | | | | |
| 15 to 18 in., B&B | | | | |
| 18 to 24 in., B&B 5.00 4.00 3.29 — glabra, 5'-6' Inkberry | | | | |
| 40.4 45.4 50.5 | | | | 3.25 |
| 40.4 45.4 50.5 | | | T | kherry |
| | | 2.10 | | |
| amana AMIMOI | | and a JL U | . , | |
| — opaca, 45′50′ American Holly | | 4 50 | | |
| | | | | 3.00 |
| | | | | $\frac{5.00}{7.00}$ |
| Selected Berried Plants 25% additional. | | | | 1.00 |

| THINOISION NORTH | TOTAL S | | |
|---|---|---|---|
| | Unit Pri 1-9 | ice in Quar 10-49 | ntities 50-249 |
| ILEX verticillata (prinos), 6'-8' | | Win | terberry |
| 18 to 24 in | .85 | .70 | |
| 2 to 3 ft | 1.00 | .80 | |
| JASMINUM nudiflorum, 3' | | Winter | Jasmine |
| 12 to 18 in | .45 | .37 | .30 |
| 18 to 24 in | .60 | .50 | .40 |
| JUNIPERUS chinensis, 15'-20' | | Chinese | Juniper |
| 5 to 6 ft., B&B | 10.00 | 8.00 | |
| 6 to 8 ft., B&B | 12.00 | 10.00 | *************************************** |
| columnaris (pyramidalis), 15'-20' Blue | Columna | r Chinese | Juniper |
| 2 to 3 ft., B&B | 3.40 | 2.80 | 2.25 |
| 3 to 4 ft., B&B | | 5.00 | 4.00 |
| 4 to 5 ft., B&B | 7.50 | | 5.00 |
| 5 to 6 ft., B&B | 10.00 | 8.00 | 6.50 |
| | | r Chinese | |
| 7 to 8 ft., B&B 8 to 10 ft., B&B | $15.00 \\ 18.00$ | $\frac{12.25}{15.00}$ | $10.00 \\ 12.50$ |
| —— japonica, 6'-8' | 18.00 | Japanese | |
| 12 to 15 in., B&B | 2.25 | 1.90 | 1.50 |
| 15 to 18 in., B&B | 3.00 | $\frac{1.50}{2.50}$ | $\frac{1.50}{2.00}$ |
| 18 to 24 in., B&B | $\frac{3.75}{3.75}$ | 3.00 | $\frac{2.00}{2.50}$ |
| 2 to 2½ ft., B&B | 5.00 | 4.00 | 3.25 |
| · · · · · · · · · · · · · · · · · · · | | | |
| — pfitzeriana, 5'-6' | | | Juniper |
| 12 to 15 in., B&B | 1.90 | 1.50 | 1.25 |
| 15 to 18 in., B&B | 3.40 | 2.80 | 2.25 |
| 18 to 24 in., B&B | $\begin{array}{c} 5.00 \\ 6.00 \end{array}$ | $\begin{array}{c} 4.00 \\ 5.00 \end{array}$ | $\frac{3.25}{4.00}$ |
| | 0.00 | 5.00 | 4.00 |
| —— sargenti, 1 ½' | | Sargent | Juniper |
| 9 to 12 in., B&B | 1.90 | 1.50 | |
| 12 to 15 in., B&B | 2.60 | 2.20 | |
| communis hibernica, 20'-30' | | Irish | Juniper |
| 12 to 18 in., B&B | 1.50 | 1.25 | 1.00 |
| 18 to 24 in., B&B | 1.90 | 1.50 | 1.25 |
| 2 to 3 ft., B&B | 2.60 | 2.20 | 1.75 |
| — suecica, 20'-30' | | Swedish | ~ |
| 15 to 18 in., B&B | 1.50 | 1.25 | 1.00 |
| 18 to 24 in., B&B | $\frac{1.90}{2.60}$ | $\begin{array}{c} 1.50 \\ 2.20 \end{array}$ | $1.25 \\ 1.75$ |
| 2 to 3 ft., B&B | | iny Greek | |
| 9 to 12 in., B&B | 1.50 | 1.25 | 1.00 |
| 12 to 15 in., B&B | 1.90 | 1.50 | 1.25 |
| 15 to 18 in., B&B | 2.60 | 2.20 | 1.75 |
| 18 to 24 in., B&B | 3.40 | 2.80 | 2.25 |
| 2 to 2½ ft., B&B | 4.10 | 3.50 | 2.75 |
| 2 ½ to 3 ft., B&B | 5.25 | 4.40 | 3.50 |
| - horizontalis (sabina prostrata), 1'-1½' | Creeni | ng Savin | Juniner |
| 2 to 2½ ft., B&B | 3.75 | 3.00 | 2.50 |
| | 0.10 | 0.00 | 2.00 |
| —— Bar Harbor, 6"-12" | Ba | r Harbor | Juniper |
| 6 to 9 in | 1.10 | .95 | |
| 9 to 12 in | 1.50 | 1.25 | |
| | | | |

| | Unit Pr | rice in Quar 10-49 | tities 50-249 |
|--|---|---|---------------------|
| JUNIPERUS horizontalis depressa plumosa, | 2'-3' | Andorra | Juniper |
| 12 to 15 in., B&B | 1.90 | 1.50 | 1.25 |
| 15 to 18 in., B&B | 3.00 | 2.50 | 2.00 |
| 18 to 24 in., B&B | 4.10 | 3.50 | 2.75 |
| 2 to 2½ ft., B&B | $\frac{5.60}{7.50}$ | $\begin{array}{c} 4.75 \\ 6.00 \end{array}$ | $\frac{3.75}{5.00}$ |
| 2½ to 3 ft., B&B | 1.00 | 6.00 | 5.00 |
| — — douglasi, 1'-1½' | | Waukegan | Juniper |
| 9 to 12 in | 1.50 | 1.25 | 1.00 |
| 12 to 15 in | 2.60 | 2.20 | 1.75 |
| squamata meyeri, 3'-4' | | Meyer | Juniper |
| 12 to 15 in., B&B | 2.60 | 2.20 | |
| 18 to 24 in., B&B | 4.50 | 3.75 | |
| virginiana burki, 10'-12' | | Burks | Juniper |
| 5 to 6 ft., B&B | 10.00 | 8.00 | 6.50 |
| 6 to 8 ft., B&B | 12.00 | 10.00 | 8.00 |
| — — canaerti, 12'-15' | | Canaert R | Tehanha |
| 3 to 4 ft., B&B | 6.00 | 5.00 | 4.00 |
| 4 to 5 ft B&B | 7.50 | 6.00 | 5.00 |
| 5 to 6 ft., B&B | 10.00 | 8.00 | 6.50 |
| 6 to 8 ft., B&B | 12.00 | 10.00 | |
| — — keteleeri, 15'-18' | | Keteleer R | edcedar |
| 4 to 5 ft., B&B | 10.00 | 8.00 | 6.50 |
| 5 to 6 ft., B&B | 12.00 | 10.00 | 8.00 |
| — — schotti, 12'-15' | | Schott R | edcedar |
| 4 to 5 ft., B&B | 10.00 | 8.00 | 6.50 |
| 5 to 6 ft., B&B | | 10.00 | 8.00 |
| 6 to 8 ft., B&B | 15.00 | 12.25 | 10.00 |
| KALMIA latifolia, 8'-10' | | Mountai | n-laurel |
| 15 to 18 in., B&B | 2.25 | 1.90 | 1.50 |
| 18 to 24 in., B&B | 3.00 | 2.50 | 2.00 |
| 2 to 3 ft., B&B | 3.75 | 3.00 | 2.50 |
| KOLKWITZIA amabilis, 6'-8' | | Bea | utybush |
| 12 to 18 in. | .50 | .37 | .30 |
| 18 to 24 in | .60 | .50 | .40 |
| 3 to 4 ft | $\frac{.85}{1.05}$ | $.70 \\ .90$ | .55 |
| | 2.00 | | |
| LABURNUM vossi, 18'-20 | | | enchain |
| 5 to 6 ft | 6.75 | 5.50 | 4.50 |
| LEUCOTHOE axillaris, 3'-4' | | Coast Le | ucothoe |
| 12 to 15 in., B&B | 2.40 | 2.00 | |
| 15 to 18 in., B&B | 3.00 | 2.50 | |
| 18 to 24 in., B&B | $\begin{array}{c} 3.90 \\ 5.00 \end{array}$ | $\begin{array}{c} 3.25 \\ 4.00 \end{array}$ | |
| | 5.00 | 4.00 | |
| — catesbaei, 3'-4' | | Prooping Le | ucothoe |
| 9 to 12 in., B&B | 1.25 | 1.00 | |
| 12 to 15 in., B&B | 1.90 | 1.50 | |
| 1-9 | 10-49 | 50-249 | 250-up |
| LIGUSTRUM amurense, 14'-15' | | Amu | r Privet |
| 12 to 18 in | .15 | .12 | .10 |
| 18 to 24 in | .20 | .16 | .13 |
| | | | |

| PRINCETON | NURSE | RIES | | 19 |
|-------------------------------------|--------------|-----------------|----------------------|----------|
| | 1-9 | Unit P 10-49 | rice in Qu 50-249 | 250-up |
| LIGUSTRUM ibolium, 8'-10' | | | Iboliun | n Privet |
| 12 to 18 in | .18 | .15 | .12 | .09 |
| 18 to 24 in | .24 | .18 | .14 | .11 |
| 2 to 3 ft | .30 | .24 | .20 | .15 |
| - ibota regelianum (obtusifolium re | egel.), | 5′-6′ | | l Privet |
| 12 to 18 in | .33 | .27 | $.22\frac{1}{2}$ | |
| — ovalifolium, 12'-15' | | | California | a Privet |
| Heavy 2 and 3 year | r cut b | ack stock. | | |
| 12 to 18 in | .15 | .12 | .10 | .08 |
| 18 to 24 in | .22 | .17 | .13 | .10 |
| 2 to 3 ft | .28 | .23 | .19 | .15 |
| | | 1-9 | 10-49 | 50-249 |
| LIRIODENDRON tulipifera, 60'-80' | | | T | uliptree |
| 6 to 8 ft | | 3.00 | 2.50 | |
| 8 to 10 ft | | 4.10 | 3.50 | |
| 10 to 12 ft | | 5.40 | 4.50 | |
| LONICERA bella albida, 8'-9' | | | Belle Hone | |
| 18 to 24 in | | | .30 | |
| 2 to 3 ft | | .55 | | |
| 3 to 4 ft | | .70 | .55 | .45 |
| — fragantissima, 6'-8' | | | nter-Hone | |
| 18 to 24 in | | .45 | .37 | .30 |
| 2 to 3 ft | | .60 | .50 | .40 |
| 3 to 4 ft | | .75 | .60 | .50 |
| — heckrotti, 15'-50' | | Everbloom | ning Hone | ysuckle |
| 2 year, No. 1 | | .60 | .50 | .40 |
| — japonica halliana, 15'-25' | | Hall Japa | | - |
| 2 in. Pots | | | .20 | |
| 1 year, fld. gr. | | .33 | .27 | .22 |
| 2 year, fld, gr | | .45 | .37 | .30 |
| — maacki podocarpa, 8'-9' | | | Late Hone | |
| 18 to 24 in | | | .37 | |
| 2 to 3 ft | | .60 | .50 | .40 |
| — morrowi, 7'-8' | | Moi | row Hone | ysuckle |
| 18 to 24 in | | | .37 | |
| 2 to 3 ft | | | .50 | .40 |
| — tatarica alba, 9'-10' | • | White Tata | rian Hone | ysuckle |
| 18 to 24 in | | | .30 | .25 |
| 2 to 3 ft | | .55 | .45 | .35 |
| — pulcherrima, 9'-10' | Brigh | t Red Tata | rian Hone | evsuckle |
| 12 to 18 in | | | .30 | .25 |
| 18 to 24 in. | | .55 | .45 | .35 |
| | | | | |
| —— rosea, 9'-10' | | Pink Tata | | |
| 12 to 18 in | | | .25 | .20 |
| 18 to 24 in | | | .37 | .30 |
| 2 to 3 ft | ************ | .60 | .50 | .40 |

| 20 1101110111011 | | | |
|---|---|---|--------------------------|
| | Unit Pr 1-9 | ice in Quan 10-49 | |
| LONICERA tatarica zabelli, 9'-10' | 2 | Zabell Hone | ysuckle |
| 12 to 18 in | .30 | .25 | .20 |
| 18 to 24 in | .50 | .40 | .30 |
| 2 to 3 ft | .60 | .50 | .40 |
| LYCIUM chinense, 10'-12' | Chine | se Matrimo | |
| 18 to 24 in | .37 | | .25 |
| 2 to 3 ft | .52 | .45 | .35 |
| LYONIA ligustrina, 10'-12' | | He-Hucl | _ |
| 18 to 24 in., B&B | 2.25 | 1.90 | |
| 2 to 3 ft., B&B | 3.00 | 2.50 | 2.00 |
| 3 to 4 ft., B&B | 4.50 | 3.75 | 3.00 |
| MAGNOLIA glauca (virginiana), 15'-20' | | | weetbay |
| 3 to 4 ft., B&B | 4.50 | 3.75 | |
| 4 to 5 ft., B&B | 6.00 | 5.00 | gladare - Lamada - Carlo |
| kobus, 20'-30' | | Kobus M | _ |
| 4 to 5 ft., B&B | 6.00 | 5.00 | |
| 5 to 6 ft., B&B | 8.50 | 7.00 | |
| 6 to 8 ft., B&B 8 to 10 ft., B&B | $11.50 \\ 15.00$ | $9.50 \\ 12.50$ | |
| 10 to 12 ft., B&B | 19.00 | 15.00 | |
| · · | | C 74 | ! : - |
| — soulangeana, 15'-18' | 0.00 | Saucer M | _ |
| 18 to 24 in., B&B | $\frac{3.00}{4.50}$ | $\frac{2.50}{3.75}$ | $\frac{2.00}{3.00}$ |
| 3 to 4 ft., B&B | 6.00 | 5.00 | |
| 4 to 5 ft., B&B | 8.50 | 7.00 | $\frac{4.00}{5.50}$ |
| 5 to 6 ft., B&B | | 8.80 | 7.00 |
| stellata, 8'-10' | | Star M | agnolia |
| 12 to 18 in., B&B | 3.75 | 3.00 | |
| 18 to 24 in., B&B | $\frac{6.00}{7.50}$ | $\begin{array}{c} 5.00 \\ 6.25 \end{array}$ | |
| | | | |
| — magnolia tripetala, 30'-40' 6 to 7 ft., B&B | | Umbrella M 7.00 | lagnolia |
| 7 to 8 ft., B&B | 10.50 | 9.00 | |
| 8 to 10 ft., B&B | | 11.00 | |
| MALUS—FLOWERING | CRAR | | |
| MALUS arnoldiana, 8'-10' | CIVILI | A | ald Coal |
| 3 to 4 ft | 1.05 | .90 | old Crab |
| 4 to 5 ft. | | 1.10 | .70 |
| 5 to 6 ft | 1.75 | 1.40 | 1.15 |
| 6 to 8 ft | 2.25 | 1.90 | 1.50 |
| - astrosanguinea, 10'-15' | | Carmi | ne Crab |
| 3 to 4 ft | 1.05 | .90 | .70 |
| 4 to 5 ft | 1.30 | 1.10 | .90 |
| 5 to 6 ft | 1.75 | 1.40 | 1.15 |
| 6 to 8 ft | 2.25 | 1.90 | 1.50 |
| — floribunda, 10'-15' | | ese Floweri | ng Crab |
| 3 to 4 ft | 1.05 | .90 | .70 |
| 4 to 5 ft | 1.30 | 1.10 | .90 |
| 6 to 7 ft | $\begin{array}{c} 1.75 \\ 2.25 \end{array}$ | $\begin{array}{c} 1.40 \\ 1.90 \end{array}$ | 1.15 |
| | 2.40 | 1.90 | 1.50 |

| | Unit Pri | ce in Quar | tities 50-249 |
|--|------------------------|--|---|
| MALUS halliana parkmani, 10'-15' | | | an Crab |
| Semi-double pink. Compact habit. Slow gr | owing. | | |
| 2 to 3 ft | $1.00 \\ 1.20 \\ 1.90$ | $\begin{array}{c} .80 \\ 1.00 \\ 1.50 \end{array}$ | |
| — hoppi, 12'-15' | Hopa Re | ed Floweri | ng Crab |
| Rose red double flowers. Red fruit. Hard | | | |
| 3 to 4 ft | 1.05 1.30 1.75 | $\begin{array}{c} .90 \\ 1.10 \\ 1.40 \end{array}$ | |
| — ioensis plena, 10'-15' | | Bech | tel Crab |
| Large double bright pink. Fragrant. Late | bloomin | ıg. | |
| 18 to 24 in | $1.00 \\ 1.10$ | .80 .95 | .65 .75 |
| — sargenti, 6'-8' | | Sarge | nt Crab |
| Spreading. Straw colored flowers. Scarle | | | |
| 2 to 3 ft | $\frac{1.00}{1.50}$ | 1.25 | $\frac{.65}{1.00}$ |
| — spectabilis, 10'-15' | Chine | se Floweri | ng Crab |
| 3 to 4 ft | 1.05 | .90 | .70 |
| 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. | 1.30 1.75 2.25 | $1.10 \\ 1.40 \\ 1.90$ | $\begin{array}{c} .90 \\ 1.15 \\ 1.50 \end{array}$ |
| — theifera (hupehensis), 15'-20' | | т | ea Crab |
| 3 to 4 ft | 1.10 | .95 | |
| 4 to 5 ft | 1.50 2.25 | $\frac{1.25}{1.90}$ | de la companya de la |
| — zumi calocarpa, 12'-15' | | | |
| Has large handsome bright red fruit and strong growing type. | large pin | k flowers. | A good |
| 3 to 4 ft | 1.10 | .95 | |
| 4 to 5 ft | $\frac{1.50}{2.25}$ | $\frac{1.25}{1.90}$ | |
| PURPLE FOLIAGED MALUS Crimson Flowered | VARIET | IES | |
| Aldenhamensis, 25'-40'. 4 to 5 ft.; 5 to 6 ft.; | 6 to 8 f | t. | |
| Eleyi, 10'-15'. 4 to 5 ft.; 5 to 6 ft.; 6 to 8 ft. | | | |
| Floribunda purpurea, 10'-15'. 4 to 5 ft.; 5 to | | o 8 ft. | |
| Lemoinei, 15'. 3 to 4 ft.; 4 to 5 ft.; 5 to 6 ft | | | |
| Neidzwetzkyana, 15'-25'. 3 to 4 ft.; 4 to 5 ft.; | | | |
| 3 to 4 ft | $\frac{1.05}{1.30}$ | $\frac{.90}{1.10}$ | .70 |
| 5 to 6 ft | 1.75 2.25 | 1.40 1.90 | 1.10 1.50 |

SPECIAL LIST ASSORTED MALUS VARIETIES

| DACCATA ON OTA | hite flowers, | vellow or r | od fruit |
|---|---------------|---|---------------------|
| | | | |
| CORONARIA, 15'-20'. | _ | double pink | |
| IOENSIS, 20'-25'. | | Single pink | |
| MICROMALUS, 15'. | Deep pinl | k flowers. R | ed fruit. |
| ROBUSTA, 12'-15. | | Cher | ry Crab. |
| 3 to 4 ft | | .90 | |
| 4 to 5 ft | | $1.10 \\ 1.40$ | |
| 6 to 8 ft | | 1.90 | |
| MORUS alba, 35'-40' | | White M | Iulberry |
| 2 to 3 ft | 52 | .45 | .35 |
| 3 to 4 ft | 75 | .60 | .50 |
| —— tatarica, 60' | | Russian M | Iulberry |
| 2 to 3 ft | | .45 | .35 |
| 3 to 4 ft | 75 | .60 | .50 |
| MYRICA carolinensis, 4'-5' | 4 50 | Northern B | |
| 15 to 18 in. B&B | | $\begin{array}{c} 1.25 \\ 2.50 \end{array}$ | $\frac{1.00}{2.00}$ |
| OXYDENDRON arboreum, 25'-30' | | | urwood |
| 18 to 24 ft., BR | 1.10 | .95 | .75 |
| 2 to 3 ft., BR | 1.65 | 1.35 | 1.00 |
| 3 to 4 ft., BR | 2.00 | 1.70 | |
| PACHYSANDRA terminalis, 6"-8" | | Japanese | Spurge |
| 1 year, 2 in. pots | 22 | .20 | .15 |
| PHELLODENRON amurense, 25'-30' | | Amur (| Corktree |
| 2 to 3 ft | 1.50 | 1.25 | 1.00 |
| 8 to 10 ft | 5.25 6.75 | $\frac{4.40}{5.50}$ | $\frac{3.50}{4.50}$ |
| 11 to 13 ft., 2 to 2 1/2 in. | 8.50 | 7.00 | 5.50 |
| 12 to 14 ft., 2½ to 3 in | 11.20 | 9.50 | 7.50 |
| PHILADELPHUS coronarius, 9'-10' | | Sweet Moc | korange |
| 18 to 24 in 2 to 3 ft | 37 | .30 | .25 |
| 3 to 4 ft | 55 | .45 .55 | .35 .45 |
| — lemoine, 7'-8' | | emoine Moc | |
| 15 to 18 in | 37 | .30 | .25 |
| - virginalis, 7'-8' | | irginal Moc | |
| 12 to 18 in | 45 | .37 | .30 |
| 18 to 24 in | 60 | .50 | .40 |
| 2 to 3 ft 3 to 4 ft | 75 | .60 | .50 |
| | | .80 | .65 |
| LARGE GROWING — atlas, 6'-8'. 12-18", 18-24". | SPECIES | | |
| bannieri, 7'-8'. 12-18", 18-24", 2-3' | | | |
| - pubescens, 8'-10'. 18-24", 2-3', 3-4'. | | | |
| Above Species at following prices: | | | |
| 12 to 18 in | 37 | 2.0 | 0.5 |
| 18 to 24 in | 50 | .30 $.45$ | .25 .35 |
| 2 to 3 ft | 60 | .50 | .40 |
| 3 to 4 ft | 75 | .60 | .50 |

SMALLER GROWING SPECIES

| PHILADELPHUS albatre 4'-5'. 12-18", 18- | -24". | | |
|---|----------------|---------------------|------------|
| Above Species at following prices: | | | |
| 12 to 18 in | .50 | .40 | |
| 18 to 24 in. | .60 | .50 | |
| PHOTINIA subumbellata, 10' | | Chris | tmasberry |
| 18 to 24 in | .55 | .45 | .35 |
| 2 to 3 ft | .70 | .55 | .45 |
| — villosa, 15' | | | al Photina |
| 18 to 24 in | .60 | .50 | |
| 2 to 3 ft | .70 | .55 | .45 |
| PHYSOCARPUS opulifolius, 9'-10' | | Common | Ninebank |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 3 ft | .55 | .45 | .35 |
| 3 to 4 ft | .70 | .55 | .45 |
| — — aurea, 9'-10' | | Coldon | Ninebark |
| | | | |
| 18 to 24 in | .37 | .30 | |
| 2 to 3 ft | .55 | .45 | .35 |
| 3 to 4 ft | .70 | .55 | .45 |
| 4 to 5 ft | .90 | .75 | .45 |
| — — nanus, 5' | Dwar | of Common | Ninebark |
| 2 to 3 ft | .55 | | .35 |
| 3 to 4 ft | .70 | .55 | .45 |
| | | | |
| PICEA excelsa (abies), 80'-100' | | Norw | ay Spruce |
| 15 to 18 in. B&B | 1.30 | 1.10 | .90 |
| 18 to 24 in., B&B | 1.90 | 1.50 | 1.25 |
| 2 to 2½ ft. B&B | 2.50 | 2.00 | |
| 2½ to 3 ft., B&B | 3.45 | 2.80 | |
| 3 to 4 ft., B&B | 4.90 | 4.00 | |
| — pungens kosteri, 60'-80' | | Koster B | lue Spruce |
| 18 to 24 in., B&B | 7.50 | | |
| 2 to 2½ ft. B&B | 10.00 | | |
| 2½ to 3 ft., B&B | 12.50 | - | - |
| PIERIS japonica, 5'-6' | | Tapanese A | ndromeda |
| 9 to 12 in., B&B | $1.50 \\ 2.25$ | 1.25 | 1.00 |
| 12 to 15 in., B&B | 2.25 | 1.90 | 1.50 |
| PINUS montana mughus, 3'-4' | | M | ugho Pine |
| 9 to 12 in., B&B | 1.90 | 1.50 | 1.25 |
| PLATANUS occidentalis, 75'-100' | | | |
| American Plane | tree or | American | Sycamore |
| 10 to 12 ft., 1½ to 1¾ in | 8.50 | 7.00 | 5.50 |
| 10 to 12 ft., 1 ½ to 1 ¼ in | 10.00 | 8.00 | 6.50 |
| 12 to 14 ft., 2 to 2 ¼ in | 13.00 | 10.90 | 8.80 |
| - orientalis, 70'-80' | | European | Planetree |
| 6 to 8 ft | 3.00 | 2.50 | 2.00 |
| 8 to 10 ft | 5.25 | $\frac{2.50}{4.40}$ | 3.50 |
| 8 to 10 ft., 1½ to 1½ in | 6.75 | 5.50 | 4.50 |
| 10 to 12 ft., 1½ to 1¾ in | 9.00 | 7.50 | 6.00 |
| 10 to 12 ft., 1 ½ to 1 ¼ m | 11.00 | 9.50 | 0.00 |
| 200 22 201, 2 /4 00 21 111 | 2.200 | 0.00 | |

| | Unit Pr 1-9 | rice in Quan 10-49 | tities 50-249 |
|--|---|---|--|
| POLYGONUM auberti, 25' | | China Fle | ecevine |
| 2 year | .70 | .55 | .45 |
| POPULUS alba bolleana, 50'-60' | | Bolleana | Poplar |
| 4 to 6 ft | .80 | .65 | |
| 6 to 8 ft | 1.25 | 1.10 | |
| 8 to 10 ft | 2.00 | 1.65 | - |
| 10 to 12 ft., 1 1/4 to 1 1/2 in | 2.60 | 2.20 | |
| — eugenie, 75'-90' | | Carolina | Poplar |
| 4 to 6 ft | .60 | .50 | .40 |
| 6 to 8 ft 8 to 10 ft | .85 $.1.20$ | 1.00 | .55 |
| 10 to 12 ft | 1.65 | 1.35 | 1.10 |
| — maximowiczii, 60'-80' | | Japanese | |
| 6 to 8 ft | 1.20 | 1.00 | .80 |
| 8 to 10 ft. | 1.65 | 1.35 | 1.10 |
| 10 to 12 ft., 1½ to 2 in | 2.50 | 2.05 | 1.65 |
| 12 to 14 ft., 2 to 2½ in | 3.30 | 2.75 | |
| | 7.40 | 5.90 | |
| — nigra italica, 60'-80' | | Lombardy | |
| 4 to 6 ft. whips | .37 | .30 | .25 |
| Prunus 10 ft. | $\begin{matrix} .70 \\ 1.05 \end{matrix}$ | .55 $.90$ | $.45 \\ .70$ |
| - subhirtella autumnalis, 25'-30' | 1.00 | | |
| 3 to 4 ft | 1.10 | October .95 | .75 |
| 4 to 5 ft | 1.50 | $\frac{1.25}{1.25}$ | 1.00 |
| — glandulosa alba, 5'-6' | | Flowering . | |
| 18 to 24 in | .70 | .55 | .45 |
| 2 to 3 ft | .85 | .70 | .55 |
| ——— pink 5'-6' | Dinle | Elomonina | A I ma a m d |
| 12 to 18 in. | .55 | Flowering . .45 | .35 |
| 18 to 24 in. | .70 | .55 | .45 |
| 2 to 3 ft | .85 | .70 | .55 |
| — maritima, 5'-6' | | Read | h Plum |
| 12 to 18 in | .55 | .45 | .35 |
| 18 to 24 in | .70 | .55 | .45 |
| 2 to 3 ft | .85 | .70 | .55 |
| - prunus subhirtella autumnalis, 25'-30' | | October | Cherry |
| 3 to 4 ft | 1.50 | 1.25 | |
| 4 to 5 ft | 2.25 | 1.90 | |
| 5 to 6 ft | 3.00 | 2.50 | |
| — — Beni Higan, 25'-30' | | Higan | Cherry |
| 3 to 4 ft | 1.50 | 1.25 | 1.00 |
| 4 to 5 ft | 2.25 | 1.90 | 1.50 |
| 5 to 6 ft. 6 to 8 ft. | $\frac{3.00}{4.50}$ | $\begin{array}{c} 2.50 \\ 3.75 \end{array}$ | 2.00 |
| 8 to 10 ft | 6.00 | 5.00 | $\frac{3.00}{4.00}$ |
| — — pendula, 12'-15' | | | |
| These trees are grown on Prunus Pend | | g Japanese | |
| branches. They are graceful and of good | quality. | Preferred h | v manv |
| to top grafted trees. | | | J ==================================== |
| 3 to 4 ft | 2.25 | 1.90 | 1.50 |
| 4 to 5 ft | 3.75 | 3.00 | 2.50 |
| 5 to 6 ft | 5.25 | 4.40 | 3.50 |

| | Unit Pr | rice in Quan | tities |
|--|---------------------|---------------------|---|
| | 1-9 | 10-49 | 50-249 |
| PRUNUS tomentosum, 6'-7' | | Nanking | Cherry |
| 18 to 24 in | .70 | .55 | .45 |
| 2 to 3 ft | .85 | .70 | .55 |
| 3 to 4 ft | 1.05 | .90 | .70 |
| 4 to 5 ft | 1.30 | 1.10 | .90 |
| | *** | | |
| — triloba plena, 7'-8' | | ıblefloweriı | _ |
| 18 to 24 in | $.60 \\ .75$ | .50 .60 | .40 |
| 3 to 4 ft | .90 | .75 | .60 |
| | | ••• | • |
| JAPANESE CHERRI | ES | | |
| — amanogawa, 20'-35' | | | |
| 3 to 4 ft | 2.25 | 1.90 | 1.50 |
| 4 to 5 ft. | 3.00 | 2.50 | 2.00 |
| 5 to 6 ft | 3.75 | 3.00 | |
| | | | |
| Paul Wohlert, 25'-30' | | | |
| 3 to 4 ft | 2.25 | 1.90 | - |
| 4 to 5 ft | 3.00 | 2.50 | - |
| | | | . 4 |
| - Shirofugen (Serr. Alba-Rosea), 25'-30' | | | |
| 3 to 4 ft. | 2.50 | 2.00 | |
| 4 to 5 ft | 3.00 | 2.50 | - |
| PSEUDOTSUGA douglasi (taxifolia), 70'-80 | , | Dou | ıglas-fir |
| 15 to 18 in., B&B | 2.25 | 1.90 | 1.50 |
| 18 to 24 in., B&B | 3.40 | 2.80 | 2.25 |
| 2 to 3 ft., B&B | 4.90 | 4.05 | 3.25 |
| 3 to 4 ft., B&B | 6.75 | 5.50 | 4.50 |
| 4 to 6 ft., B&B | 9.00 | 7.50 | 6.00 |
| PTELEA trifoliata, 10'-12' | | Н | op Tree |
| 4 to 5 ft | .75 | .60 | .50 |
| 5 to 6 ft | .90 | .75 | .60 |
| 6 to 8 ft | 1.10 | .95 | .75 |
| PYRACANTHA coccinea lalandi, 9'-12' | | Laland Fi | rethorn |
| 12 to 15 in., pots or B&B | 1.50 | 1.25 | 1.00 |
| 15 to 18 in., pots or B&B | 1.90 | 1.50 | 1.25 |
| 18 to 24 in., pots or B&B | 2.60 | 2.20 | 1.75 |
| — crenulata, 9'-12' | | Nepal Fi | rathann |
| | 1.00 | 1.50 | |
| 15 to 18 in., pots or B&B | $\frac{1.90}{2.60}$ | $\frac{1.50}{2.20}$ | $1.25 \\ 1.75$ |
| 2 to 3 ft., pots or B&B | $\frac{2.00}{3.75}$ | 3.00 | $\frac{1.75}{2.50}$ |
| 3 to 4 ft., pots or B&B | 5.25 | 4.40 | 3.50 |
| • | | | |

NURSERY GROWN OAKS

| NURSERI GROWN | OAKS | | |
|---------------------------------------|-------|--------------|------------------------------|
| QUERCUS alba, 100' | | \mathbf{w} | hite Oak |
| 6 to 8 ft | 4.10 | 3.50 | 2.75 |
| | 5.25 | 4.40 | 3.50 |
| 8 to 10 ft., 1 to 1½ in | | | |
| 8 to 10 ft., 1¼ to 1½ in | 6.75 | 5.50 | 4.50 |
| 9 to 11 ft., 1½ to 1¾ in | 9.00 | 7.50 | 6.00 |
| 10 to 12 ft., 1 ¾ to 2 in | 11.20 | 9.50 | 7.50 |
| 11 to 13 ft., 2 to 2 ¼ in | 14.30 | 11.70 | 9.50 |
| 12 to 14 ft., 2 1/4 to 2 1/2 in | 17.00 | 14.00 | 11.00 |
| 13 to 15 ft., 2 ½ to 3 in | 20.00 | 16.00 | 13.00 |
| | 20.00 | | |
| — bicolor, 60' | | Swamp W | hite Oak |
| 8 to 10 ft., 1¼ to 1½ in | 6.75 | 5.50 | 4.50 |
| 9 to 11 ft., 1½ to 1¾ in | 9.00 | 7.50 | 6.00 |
| 10 to 12 ft., 1 ¾ to 2 in | 11.20 | 9.50 | 7.50 |
| 11 to 13 ft., 2 to 2 ½ in. | | 11.70 | 9.50 |
| 12 to 14 ft., 2 ½ to 3 in. | 18.00 | 15.00 | 12.00 |
| · · · · · · · · · · · · · · · · · · · | 10.00 | 10.00 | 12.00 |
| — coccinea, 75'-90' | | Sca | rlet Oak |
| 6 to 8 ft | 4.10 | 3.50 | 2.75 |
| 8 to 10 ft., 1 to 1¼ in | 5.25 | 4.40 | 3.50 |
| 9 to 11 ft., 1¼ to 1½ in | 6.75 | 5.50 | 4.50 |
| 10 to 12 ft., 1½ to 1¾ in | 10.25 | 8.40 | 6.75 |
| 11 to 19 ft 19/ to 9 fm | | 11.00 | |
| 11 to 13 ft., 1 ¾ to 2 in | 13.50 | | 9.00 |
| 12 to 14 ft., 2 to 2½ in | 18.00 | 15.00 | 12.00 |
| — macrocarpa, 75'-80' | | Mossy | cup Oak |
| 8 to 10 ft., 1 to 1 ¼ in | 5.25 | 4.40 | 3,50 |
| 9 to 11 ft., 1 ¼ to 1 ½ in | 6.75 | 5.50 | 4.50 |
| 10 to 12 ft., 1½ to 1¾ in | 9.00 | 7.50 | 6.00 |
| | | | |
| 11 to 13 ft., 1 ¾ to 2 in | 11.20 | 9.50 | 7.50 |
| 12 to 14 ft., 2 to 2½ in | 14.30 | 11.70 | 9.50 |
| 13 to 15 ft., 2½ to 3 in | 20.00 | 16.00 | 13.00 |
| 13 to 15 ft., 3 to 3½ in | 27.00 | 22.00 | 18.00 |
| — palustris, 75'-90' | | | Pin Oak |
| 6 to 8 ft | 3.75 | 3.00 | 2.50 |
| 8 to 10 ft., 1 to 1¼ in. | 5.25 | | |
| | | 4.40 | 3.50 |
| 9 to 11 ft., 1¼ to 1½ in | 6.75 | 5.50 | 4.50 |
| 10 to 12 ft., 1½ to 1¾ in. | 10.25 | 8.40 | 6.75 |
| 11 to 13 ft., 1¾ to 2 in | 13.50 | 11.00 | 9.00 |
| 12 to 15 ft., 2 to 2½ in | 18.00 | 15.00 | 12.00 |
| — prinus, 50' | | Chest | tnut Oak |
| 6 to 8 ft | 4.10 | 3.50 | 2.75 |
| | 5.25 | 4.40 | |
| 8 to 10 ft., 1 to 1¼ in | | | 3.50 |
| 9 to 11 ft., 1¼ to 1½ in | 6.75 | 5.50 | 4.50 |
| 10 to 12 ft., 1½ to 2 in | 9.00 | 7.50 | 6.00 |
| 11 to 13 ft., 2 to 2½ in | 11.20 | 9.50 | 7.50 |
| — robur fastigiata, 60' | Pyr | amidal Eng | lish Oak |
| 8 to 10 ft., B&B | 15.00 | 12.50 | |
| 9 to 11 ft., 1 1/4 to 1 1/2 in., B&B | 19.00 | 15.00 | |
| 10 to 12 ft., 1½ to 1¾ in. B&B | 22.00 | 18.00 | |
| 11 to 13 ft., 1 1/4 to 2 in., B&B | 27.00 | 22.50 | |
| 12 % 15 ft., 2 to 2½ in., B&B | 32.00 | | |
| 13 to 16 ft., 2 to 2 ½ fn., B&B | | 27.00 | derm-servalundaman supposit. |
| 10 (0 10 10, 2 72 to 5 III., D&D | 39.00 | 32.00 | |
| - rubra (borealis maxima), 75'-90' | | Common | Red Oak |
| 8 to 10 ft., 1 to 1¼ in | 5.25 | 4.40 | 3.50 |
| 9 to 11 ft., 1¼ to 1½ in | 6.75 | 5.50 | 4.50 |
| 10 to 12 ft., 1½ to 1¾ in | 10.25 | 8.40 | 6.75 |
| 11 to 13 ft., 1 ¼ to 2 in | 13.50 | 11.00 | 9.00 |
| 12 to 15 ft., 2 to 2½ in | 18.00 | 15.00 | |
| 22 07 10 10, 2 00 2 /2 III | 10.00 | 10.00 | 12.00 |

| | Unit Pri | ce in Quan 10-49 | tities 50-249 |
|---|---|---|------------------|
| QUERCUS variabilis, 75'-90' | 1.9 | | tal Oak |
| 8 to 10 ft., 1 to 1¼ in | 6.00 | 5.00 | |
| 9 to 11 ft., 1 ¼ to 1 ½ in. | 7.50 | 6.00 | |
| 10 to 12 ft., 1½ to 1¾ in | 10.00 | 8.00 | |
| 11 to 13 ft., 1 ¾ to 2 in | 12.00 | 10.00 | |
| RHAMNUS caroliniana, 25' | C | arolina Bu | ckthorn |
| 5 to 6 ft | 1.25 | 1.05 | |
| 6 to 8 ft 8 to 10 ft | $\begin{array}{c} 1.75 \\ 2.40 \end{array}$ | $\begin{array}{c} 1.40 \\ 2.00 \end{array}$ | |
| | | | |
| — cathartica, 9'-10' | | ommon Bu .50 | |
| 18 to 24 in | $.60 \\ .75$ | .60 | .40 |
| 3 to 4 ft | .90 | | .60 |
| — frangula 8'-9' | | Glossy Bu | ckthorn |
| 18 to 24 in | .60 | .50 | .40 |
| 2 to 3 ft | .75 | .60 | .50 |
| 3 to 4 ft | .90 | .75 | .60 |
| 4 to 5 ft | 1.10 | .95 | .75 |
| RHODODENDRON | S | | |
| RHODODENDRON carolinianum, 4'-6' | Carol | ina Rhodo | dendron |
| 18 to 24 in., B&B | 5.25 | 4.40 | 3.50 |
| 2 to 3 ft., B&B | 6.75 | 5.50 | 4.50 |
| — catawbiense, 6'-9' | Catav | ba Rhodo | dendron |
| 18 to 24 in., B&B | 3.40 | 2.80 | 2.25 |
| 2 to 2½ ft., B&B | 4.50 | 3.75 | 3.00 |
| — maximum, 8'-10' | Rose | bay Rhodo | dendron |
| 2 to 2½ ft., B&B | 4.50 | 3.75 | 3.00 |
| 2½ to 3 ft., B&B | 6.00 | 5.00 | 4.00 |
| 3 to 4 ft., B&B 4 to 5 ft., B&B | $\begin{matrix} 7.50 \\ 10.00 \end{matrix}$ | $\frac{6.00}{9.00}$ | 5.00 |
| * to 5 ft., D&D | 10.00 | 3.00 | |
| HYBRID RHODODENI | | | |
| In addition to the varieties listed we have of fair and good quality which will be and size. Sold only on customer's person | priced ac | cording to | variety |
| Album elegans. Light blush changing to whi | te. | | |
| 2-2 ½'; | 2 1/2 - 3'; 3 | 3 1/2 '; 3 1/2 | 4'; 4-5' |
| Catawbiense grandiflora. Lavender pink 2-2 | 1/2'; 2 1/2- | 3'; 3-3 ½'. | |
| Lady Armstrong. Rose pink. 2-2 1/2'; 2 1/2-3'; | 3-3 ½′. | | |
| Roseum elegans. Lavender-pink. | 1/ 9/. 9 | 0.1/ /. 0.1/ | 44. 4.51 |
| 15-18"; 18-24"; 2-2½'; 2 | | | 4'; 4-5'. |
| Roseum superbum. Clear, soft coral-rose. 3 | | 2-4'; 5'. | |
| Foregoing varieties at the following pric | | 4.00 | |
| 15 to 18 in., B&B | $\frac{5.00}{6.00}$ | 4.00 | |
| 2 to 2½ ft., B&B | 10.00 | $\begin{array}{c} 5.00 \\ 7.50 \end{array}$ | |
| 2 ½ to 3 ft., B&B | 12.50 | 10.00 | |
| 3 to 3½ ft., B&B | 15.00 | 12.50 | |
| 3 ½ to 4 ft., B&B | 19.00 | 15.00 | |
| 4 to 5 ft., B&B | 22.00 | 17.50 | |

| | Unit Pr 1-9 | ice in Quan 10-49 | |
|------------------------------------|----------------|----------------------|---------|
| RHUS aromatica (canadensis), 4'-5' | | Fragrant | Sumac |
| 2 to 3 ft | .85 | .70 | .55 |
| copallina, 12'-13' | | Shining | Sumac |
| 18 to 24 in | .45 | .37 | .30 |
| 2 to 3 ft | .60 | .50 | .40 |
| — cotinus, 14'-15' | Co | mmon Smol | xe Tree |
| 18 to 24 in | .80 | .65 | .50 |
| 2 to 3 ft | 1.00 | .80 | .65 |
| 3 to 4 ft | 1.50 | 1.25 | 1.00 |
| — glabra, 10'-12' | | Smooth | Sumac |
| 2 to 3 ft | .45 | .37 | .30 |
| 3 to 4 ft | .60 | .50 | .40 |
| 4 to 5 ft | .75 | .60 | .50 |
| typhina, 15'-18' | | Staghorn | Sumac |
| 2 to 3 ft | .37 | .30 | .25 |
| 3 to 4 ft | .55 | .45 | .35 |
| 4 to 5 ft | .70 | .55 | .45 |
| | | Shredded | Sumac |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 3 ft | .45 | .37 | .30 |
| ROBINIA hispida, 5'-6' | | Rose | -acacia |
| 18 to 24 in | .55 | .45 | .35 |
| 2 to 3 ft | .70 | .55 | .45 |
| ROSA blanda, 4'-5' | | Meado | w Rose |
| 18 to 24 in | .60 | .50 | .40 |
| 2 to 3 ft | .80 | .65 | .50 |
| 3 to 4 ft | .90 | .75 | .60 |
| — lucida (virginiana), 5'-6' | | Virgini | a Rose |
| 12 to 18 in | .45 | .37 | .30 |
| 18 to 24 in. | .60 | .50 | .40 |
| 2 to 3 ft | .75 | .60 | .50 |
| 3 to 4 ft | .90 | .75 | .60 |
| — multiflora, 9'-10' | | Japanes | se Rose |
| 18 to 24 in | .30 | .25 | .20 |
| 2 to 3 ft | .45 | .37 | .30 |
| 3 to 4 ft | .60 | .50 | .40 |
| — nitida, 3'-4' | | Brist | ly Rose |
| 12 to 18 in. | .45 | .37 | .30 |
| 18 to 24 in | .60 | .50 | .40 |
| — palustris (carolina), 6'-8' | | Swam | p Rose |
| 12 to 18 in | .45 | .37 | .30 |
| 18 to 24 in | .60 | .50 | .40 |
| 2 to 3 ft | .75 | .60 | .50 |
| 3 to 4 ft | .90 | .75 | .60 |
| — rubiginosa, 5'-6' | | Swo | etbrier |
| 12 to 18 in | .45 | .37 | |
| 18 to 24 in | .60 | .50 | .30 |
| | .00 | .00 | .40 |

| | Unit Pr | ice in Quan | tities |
|--------------------------------------|---|--|--|
| | 1-9 | 10-49 | 50-249 |
| ROSA rugosa, 4'-5' | | Red Rugos | sa Rose |
| 12 to 18 in | .60 | .50 | .40 |
| 18 to 24 in | .75 | .60 | .50 |
| 2 to 3 ft | 1.00 | .80 | .65 |
| - setigera, 5'-6' | | Prair | ie Rose |
| 12 to 18 in | .45 | .37 | .30 |
| 18 to 24 in | .52 | .45 | .35 |
| 2 to 3 ft | .70 | .55 | .45 |
| 3 to 4 ft | .85 | .70 | .55 |
| - wichuriana white, 10'-12' | | Wichuria | n Rose |
| 12 to 18 in., 3" pots | .37 | .30 | .25 |
| 18 to 24 in., 1 year | .55 | .45 | .35 |
| 2 to 3 ft., 2 year | .70 | .55 | .45 |
| CLIMBING ROSES OR RA | MBLER | s | |
| Dorothy Perkins. Double shell pink. | | | |
| Excelsa. Double crimson. | | | |
| Hiawatha, Single red. | | | |
| White Dorothy Perkins. Double white. | | | |
| 18 to 24 in., 1 year | .55 | .45 | .35 |
| 2 to 3 ft., 2 year | .70 | .55 | .45 |
| | | T7 | TTT 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| SALIX adenophylla, 6' | | | Willow |
| 2 to 3 ft | .55 $.70$ | .45 .55 | .35 |
| 4 to 5 ft | .85 | .70 | .55 |
| 5 to 6 ft | 1.10 | .90 | .75 |
| — babylonica, 50'-60' | Rahvle | n Weeping | Willow |
| 4 to 5 ft | 1.00 | .80 | |
| 5 to 6 ft | 1.30 | 1.10 | .90 |
| 6 to 8 ft | 1.90 | 1.50 | 1.25 |
| — — salamoni (sepulcralis), 40'-50' | | n Weeping | |
| 4 to 5 ft | | | .50 |
| 5 to 6 ft | $\frac{1.10}{1.90}$ | $\frac{.95}{1.50}$ | $\frac{.75}{1.25}$ |
| 8 to 10 ft | $\frac{1.50}{2.60}$ | 2.20 | 1.75 |
| | *** | | ~~~ |
| | | n Weeping | |
| 4 to 5 ft | $\begin{array}{c} 1.00 \\ 1.50 \end{array}$ | $\begin{array}{c} .80 \\ 1.25 \end{array}$ | $\begin{array}{c} .65 \\ 1.00 \end{array}$ |
| 8 to 10 ft. | 2.60 | 2.20 | 1.75 |
| 471.001 | | ~ . | ~~~ |
| — caprea, 15'-20' | 0.77 | | Willow |
| 18 to 24 in | .37 .55 | .30 $.45$ | .25 |
| 3 to 4 ft | .70 | .55 | .45 |
| 4 to 5 ft | .85 | .70 | .55 |
| 6 to 8 ft | 1.65 | 1.35 | 1.10 |
| - discolor, 20' | Amer | ican Pussy | Willow |
| 3 to 4 ft | .75 | .60 | .50 |
| 4 to 5 ft | 1.10 | .95 | .75 |
| 5 to 6 ft | 1.50 | 1.25 | 1.00 |

| | Unit 1 1-9 | Price in Qua 10-49 | antities 50-249 |
|----------------------------------|---|--|--|
| SALIX elegantissima, 60'-70' | Thurlov | w Weeping | Willow |
| 5 to 6 ft | 1.10 | .95 | .75 |
| 6 to 8 ft | 1.90 | 1.50 | 1.25 |
| 8 to 10 ft | 2.60 | 2.20 | 1.75 |
| — incana, 8'-10' | | Eleagnus | Willow |
| 18 to 24 in | .45 | .37 | .30 |
| 2 to 3 ft | .55 | .45 | .35 |
| 5 to 6 ft | 1.30 | 1.10 | .90 |
| niobe, 40'-50' | Niob | e Weeping | |
| 4 to 5 ft | 1.00 | .80 | .65 |
| 5 to 6 ft | $\begin{array}{c} 1.30 \\ 2.00 \end{array}$ | $\frac{1.10}{1.70}$ | $\begin{array}{c} .90 \\ 1.35 \end{array}$ |
| 6 to 8 ft | 2.00 | _,,, | |
| — pentandra, 20'-30' | | Laurel | |
| 4 to 5 ft | .75 | .60 $.90$ | .50 .70 |
| 5 to 6 ft | $\begin{array}{c} 1.05 \\ 2.00 \end{array}$ | 1.70 | 1.35 |
| vitellina aurea pendula, 25'-30' | Weep | ing Golden | Willow |
| 4 to 5 ft | _ | .80 | .65 |
| 5 to 6 ft | 1.50 | 1.25 | 1.00 |
| 6 to 8 ft | 2.25 | 1.90 | 1.50 |
| 8 to 10 ft | 3.00 | 2.50 | 2.00 |
| SAMBUCUS canadensis, 8'-9' | | America | |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 3 ft | .55 | .45 | .35 |
| 3 to 4 ft | .70 .85 | .55 $.70$ | .45 .55 |
| — — acutiloba (rubra), 7'-9' | Cutle | af America | n Elder |
| 2 to 3 ft | .55 | .45 | .35 |
| 3 to 4 ft | .70 | .55 | .45 |
| SORBARIA aitchisoni, 4'-5' | Ka | shmir Fals | e-spirea |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 3 ft | | .45 | .35 |
| 3 to 4 ft | .70 | .55 | .45 |
| SORBUS aucuparia, 25'-30' | _ | ean Mount | ain-Ash |
| 4 to 5 ft | 1.90 | 1.50 | |
| 5 to 6 ft | 2.50 | 2.05 | |
| SPIRAEA arguta, 5'-6' | | | d Spirea |
| 12 to 18 in | .37 | .30 | .25 |
| 2 to 3 ft | .55 .70 | .45 | .35 |
| — billiardi, 5'-6' | | | |
| 18 to 24 in | 0.77 | | d Spirea |
| 2 to 3 ft | .37 $.55$ | $\begin{matrix} .30 \\ .45 \end{matrix}$ | .25 .35 |
| 3 to 4 ft | .70 | .55 | .45 |
| - bumalda Anthony Waterer, 3' | Anth | ony Watere | |
| 9 to 12 in. | .33 | .27 | .22 |
| 12 to 15 in | .45 | .37 | .30 |
| — froebeli, 4'-5' | | Frob | el Spirea |
| 12 to 18 in | .33 | .27 | .22 |
| 18 to 24 in | .55 | .45 | .35 |
| 2 00 2 /2 10 | .70 | .55 | .45 |

| | | Price in Qu | |
|---------------------------------|---|----------------|------------|
| CDVDAVIA 10 N 1 TI CI | 1-9 | 10-49 | |
| SPIRAEA prunifolia plena, 7'-8' | | | lwreath |
| 18 to 24 in 2 to 3 ft | .55 $.70$ | .45 .55 | .35 .45 |
| 3 to 4 ft | .85 | .70 | .55 |
| | •00 | | |
| — reevesiana, 7'-8' | | | Spirea |
| 18 to 24 in | .37 | ,30 | .25 .35 |
| 2 to 3 ft | .55 $.70$ | .45 .55 | .35 |
| | | | |
| —— fl. pl. (Lanceata), 7'-8' | | uble Reeves | s Spirea |
| 12 to 18 in | .30 | .25 | .20 |
| 18 to 24 in | .37 .55 | .30 $.45$ | .25 |
| | .00 | .40 | .35 |
| — thunbergi, 4'-5' | | Thunberg | _ |
| 9 to 12 in | .30 | | .20 |
| 12 to 18 in | .37 | .30 | .25 |
| 18 to 24 in | .55 $.70$ | .45 | .35 .45 |
| , | | .00 | .40 |
| — tomentosa, 3'-4' | | Ha | ırdhack |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 3 ft | .55 $.70$ | .45 | .35 .45 |
| | | .55 | .40 |
| — vanhouttei, 8'-9' | | Vanhoutte | i Spirea |
| 12 to 18 in | .20 | | .10 |
| 18 to 24 in | .27 | .22 | .18 |
| 2 to 3 ft | .37 $.55$ | $.30 \\ .45$ | .25 |
| 4 to 5 ft | .75 | .60 | .50 |
| | | | |
| STAPHYLEA colchica, 10'-12' | | Colchis Blac | |
| 6 to 8 ft | $\begin{array}{c} 2.10 \\ 2.70 \end{array}$ | $1.75 \\ 2.25$ | |
| 0 00 10 10 | 2.10 | 2.20 | 1.00 |
| STEPHANANDRA flexuosa, 5'-6' | Cut | leaf Stepha | nandra |
| 18 to 24 in | .55 | .45 | .35 |
| 2 to 3 ft | .70 | .55 | .45 |
| 3 to 4 ft | .85 | .70 | .55 |
| STYRAX japonica, 12'-15' | | Japanese Si | nowbell |
| 6 to 8 ft., B&B | | 9.00 | |
| 8 to 10 ft., B&B | | 12.50 | - |
| SYMPHORICAPROS chenaulti, 6'-8' | Cl | nenault Sno | wherry |
| 12 to 18 in | | .25 | • |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 3 ft | .55 | .45 | .35 |
| racemosus (albus), 5'-6' | | Sno | wberry |
| 12 to 18 in | .30 | .25 | .20 |
| 18 to 24 in. | .37 | .30 | .25 |
| 2 to 3 ft | .57 | .45 | .35 |
| 3 to 4 ft | .70 | .55 | .45 |
| - vulgaris (orbiculatus), 4'-5' | | Cor | alberry |
| 12 to 18 in | .30 | .25 | .20 |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 3 ft | .55 | .45 | .35 |
| 3 to 4 ft | .70 | .55 | .45 |

| | Unit 1-00 | Price in Q 10-49 | uantities 50-249 |
|--|-----------|---------------------|---------------------|
| SYMPLOCUS paniculata, 25'-40' | | \$ | Sweetleaf |
| 18 to 24 in | .60 | .50 | |
| 2 to 3 ft | .75 | .60 | |
| SYRINGA chinensis (rothomagensis), 8'-9' | | Chin | ese Lilac |
| 12 to 18 in | .37 | .30 | .25 |
| 18 to 24 in | .55 | .45 | .35 |
| 2 to 3 ft | .70 | | .45 |
| 3 to 4 ft | .85 | .70 | .55 |
| — — saugeana, 8'-9' | Pt | irple Chin | ese Lilac |
| 12 to 18 in | .37 | .30 | |
| 18 to 24 in | .55 | .45 | - |
| 2 to 3 ft | .70 | .55 | - |
| 3 to 4 ft | .95 | 75 | |
| | | I | ate Lilac |
| 18 to 24 in. | .45 | .37 | .30 |
| 2 to 3 ft | .60 | .50 | .40 |
| — vulgaris, 12'-15' | Con | mmon Pui | rple Lilac |
| 12 to 18 in | .37 | .30 | .25 |
| 18 to 24 in. | .45 | .37 | .30 |
| 2 to 3 ft | .60 | | .40 |
| — — alba, 12'-15' | Co | mmon W | hite Lilac |
| 15 to 18 in | 45 | .37 | .30 |

FRENCH LILACS — NAMED VARIETIES

Adelaide Dunbar-Double-Red mauve. 12-18"; 18-24"; 2-3' Alphonse Lavalle-Double-Light red purple. 12-18"; 18-24"; 2-3' Belle de Nancy-Double-Light violet red. 12-18"; 18-24"; 2-3' Captain Baltet-Single-Light violet. 12-18"; 18-24"; 2-3' Captain Perrault—Double—Rose mauve. 12-18"; 18-24" Charles Joly—Double—Medium violet red. 12-18"; 18-24"; 2-3' Charles Tenth-Single-Dull red purple, 12-18"; 18-24"; 2-3' Congo-Single-Deep violet red. 18-24"; 2-3' Georges Bellair—Double—Medium red mauve, 12-18"; 18-24"; 2-3' Hugo Koster—Single—Light red mauve. 12-18": 18-24": 2-3' John de Messmaker—Single—Light violet red. 12-18"; 18-24"; 2-3' Katherine Havemeyer-Double-Light violet purple. 12-18"; 18-24": 2-3' Leon Mathieu—Single—Deep violet red. 18-24"; 2-3' Leon Mathieu—Single—Dep violet red. 18-24"; 2-3' Le Printemps—Double—Pale abelia lilac. 12-18"; 18-24"; 2-3' Ludwig Spaeth—Single—Purple violet red. 12-18"; 18-24"; 2-3' Mme. F. Morel—Single—Light mauve. 12-18"; 18-24"; 2-3'

Marechal Lannes—Double—Light violet. 12-18"; 18-24"; 2-3' Massena—Single—Deep purplish red. 12-18"; 18-24"; 2-3' Michel Buchner—Double—Pinkish lilac. 12-18"; 18-24"; 2-3'

| | 1-9 | 10-49 | 50-249 |
|---|--------------|---------------------|----------------|
| SYRINGA—FRENCH LILACS (Cont.) | | | |
| Mirabeau—Single—Early flowering. Purplish 1 | ilac 19 | 18" 18-9 | 4/1 . 2 3/ |
| Olivier de Serres—Double—Bluish mauve. 12-1 | | | iπ , Δ.υ |
| | | | |
| Paul Hariot—Double—Red mauve. 12-18"; 18 | | | |
| Paul Thirion—Double—Red Mauve. 12-18"; 1 | | | |
| Pres. Grevy—Double—Light pink-lilac. 12-18" | | | |
| Pres. Poincare—Double—Clear red-purple. 12 | | | 3' |
| Reaumur—Single—Clear purple red. 12-18"; | 18-24"; | 2-3' | |
| Rubra de Marly—Single—Pale lilac-red. 12-18 | 3"; 18-2 | 24"; 2-3' | |
| Volcan-Single-Deep violet red. 12-18"; 18-2 | 4": 2-3 | 3' | |
| Wm. Robinson-Double-Red violet-purple. 12 | | | 3' |
| | | | |
| Above varieties at following prices: | 0.0 | # A | 4.0 |
| 12 to 18 in | .60 | .50 | .40 |
| 18 to 24 in | .85 1.05 | .70 .90 | .55 .75 |
| 2 to 5 tt | 1.00 | .50 | . 1 0 |
| TAMARIX gallica, 8'-9' | | French 7 | Famarix |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 3 ft | .55 | .45 | .35 |
| 3 to 4 ft | .70 | 55 | .45 |
| | | | |
| — parviflora, 12'-24' | | Algerian ' | |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 3 ft | .55 | .45 | .35 |
| 3 to 4 ft | .70 | .55 | .45 |
| pentandra, 12'-15' | Fi | vestamen ' | ramarix . |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 3 ft | .55 | .45 | .35 |
| 3 to 4 ft | .70 | .55 | .45 |
| 4 to 5 ft | .85 | .70 | .55 |
| | | | |
| TAXUS — THE YEWS | 3 | | |
| COATETICATA AND TIME | 1. 4. Cl 3 | 43 C T3 3 | - T NT |
| | nt Snor | tleaf Engl | isn Yew |
| Upright form of Taxus baccata. | E 0.0 | 4.00 | |
| 18 to 24 in., B&B | 5.00 6.00 | $\frac{4.00}{5.00}$ | |
| 2 to 2 72 ft., B&B | 0.00 | 5.00 | |
| —— repandens, 18"-24" | Sprea | ading Engl | ish Yew |
| 9 to 2 in., B&B | 1.90 | 1.50 | 1.25 |
| 12 to 15 in., B&B | 2.60 | 2.20 | 1.75 |
| 15 to 18 in., B&B | 3.75 | 3.00 | 2.50 |
| —— tardiva, 15' | Shor | rtleaf Engl | ish Yew |
| 12 to 15 in., B&B | | 1.90 | |
| 15 to 18 in., B&B | 3.40 | 2.80 | 2.25 |
| | | | |
| — cuspidata, 10'-15' | Spread | ling Japan | ese Yew |
| 12 to 15 in. B&B | 2.25 | 1.90 | 1.50 |
| 15 to 18 in., B&B | 3.40 | 2.80 | 2.25 |
| 18 to 24 in., B&B | 5.25 | 4.40 | 3.50 |
| 2 to 2½ ft., B&B | 6.75 | 5.50 | 4.50 |
| — nana (brevifolia), 2'-3' | Dv | varf Japan | ese Yew |
| 9 to 12 in., B&B | 2.20 | 1.90 | 1.50 |
| 12 to 15 in., B&B | 3.40 | 2.80 | 2.25 |
| 15 to 18 in., B&B | 5.25 | 4.40 | 3.50 |
| | | | |

| | Uni 1-9 | t Price in Qu 10-49 | tantities 50-249 |
|--|---------------------|---|---------------------|
| TAXUS cuspidata sieboldi, 10'-15' | rge Ber | ried Spread | ing Type |
| 12 to 15 in., B&B | 2.60 | 2.20 | 1.75 |
| 15 to 18 in., B&B | 3.75 | | 2.50 |
| 18 to 24 in., B&B | 7.00 | 5.00 | 3.75 |
| 2 to 2½ ft., B&B | 8.50 | 7.00 | 5.50 |
| —————————————————————————————————————— | | yers Spread | ing Yew |
| 12 to 15 in., B&B | 2.25 | 1.90 | 1.50 |
| 15 to 18 in., B&B | 3.40 | | 2.25 |
| 18 to 24 in., B&B | $\frac{5.25}{7.50}$ | $\begin{array}{c} \textbf{4.40} \\ \textbf{6.00} \end{array}$ | $\frac{3.50}{5.00}$ |
| | •••• | | |
| — intermedia, 12'-15' | 0.00 | | orid Yew |
| 12 to 15 in., B&B | 2.60 | $\frac{2.20}{2.80}$ | $1.75 \\ 2.25$ |
| 15 to 18 in., B&B | $\frac{3.40}{5.25}$ | | 3.50 |
| | | D 1 TI | h A 37 |
| — media browni, 10'-12' | 0.00 | Broad Upri | _ |
| 12 to 15 in., B&B | $\frac{2.60}{3.75}$ | $\substack{2.20\\3.00}$ | $\frac{1.75}{2.50}$ |
| 18 to 24 in., B&B | 5.15 | 4.40 | $\frac{2.50}{3.50}$ |
| 2 to 2½ ft., B&B | 6.75 | 5.50 | 4.50 |
| — brevimedia, 8'-10' | | Broad Upri | ght Yew |
| 18 to 24 in., B&B | 4.50 | 3.75 | |
| 2 to 2½ ft., B&B | 6.75 | 5.50 | |
| 2 ½ to 3 ft., B&B | | 7.50 | |
| — hatfieldi, 8'-10' | | Hatfi | eld Yew |
| 12 to 15 in., B&B | 2.25 | 1,90 | 1.50 |
| 15 to 18 in., B&B | 3.40 | 2.80 | 2.25 |
| 18 to 24 in., B&B | 4.90 | 4.00 | 3.25 |
| 2 to 2½ ft., B&B | 6.75 | 5.50 | 4.50 |
| 2 ½ to 3 ft., B&B | 10.00 | 8.00 | 6.50 |
| — hicksi, 20'-25' | | Hi | cks Yew |
| 15 to 18 in., B&B | 3.00 | 2.50 | 2.00 |
| 18 to 24 in., B&B | 4.50 | 3.75 | 3.00 |
| 2 to 2½ ft., B&B | $\frac{6.00}{7.50}$ | $\begin{array}{c} 5.00 \\ 6.00 \end{array}$ | $\frac{4.00}{5.00}$ |
| 3 to 4 ft., B&B | | 10.00 | |
| | | | |
| THUJA & Arborvita | ae | | |
| THUJA occidentalis compacta, 2½'-4' | | Parsons Ar | |
| 9 to 12 in., B&B | 1.25 | 1.05 | .85 |
| 12 to 15 in., B&B | 1.65 | 1.35 | 1.10 |
| —— elegantissima, 10'-15' | | entipped Ar | |
| 15 to 18 in., B&B | $1.50 \\ 1.90$ | $\begin{array}{c} 1.25 \\ 1.50 \end{array}$ | $1.00 \\ 1.25$ |
| 2 to 2½ ft., B&B | $\frac{1.30}{2.85}$ | 2.35 | $\frac{1.25}{1.90}$ |
| —— globosa, 3'-4' | | Globe Ar | borvitae |
| Rich green. Globe shape. | | | |
| 9 to 12 in., B&B | 1.25 | 1.05 | .85 |
| 12 to 15 in., B&B | 1.65 | 1.35 | 1.10 |
| — hoveyi, 3'-4' | | Hovey Ar | borvitae |
| 9 to 12 in., B&B | 1.25 | 1.05 | .85 |
| 12 to 15 in., B&B | 1.65 | 1.35 | 1.10 |
| | | | |

| 11011(01101) 11010011 | | | |
|---|---|---|---------|
| | Unit l 1-9 | Price in Qua 10-49 | |
| THUJA occidentalis nigra, 15'-30' | | | |
| 18 to 24 in., B&B | 1.90 | 1.50 | 1.25 |
| 2 to 2½ ft., B&B | 2.85 | 2.35 | 1.90 |
| 2½ to 3 ft., B&B | 4.10 | 3.50 | 2.75 |
| 3 to 4 ft., B&B | 5.25 | 4.40 | 3.50 |
| — — pyramidalis, 15'-30' | Pyr | amidal Arb | orvitae |
| 18 to 24 in., B&B | $\begin{array}{c} 1.90 \\ 2.85 \end{array}$ | $\begin{array}{c} 1.50 \\ 2.35 \end{array}$ | 1.25 |
| 2 to 2½ ft., B&B | | | |
| 2 ½ to 3 ft., B&B | 4.10 | 3.50 | 2.75 |
| 3 to 4 ft., B&B | 5.25 | 4.40 | 3.50 |
| — — warana, 12'-15' | S | iberian Arb | orvitae |
| 12 to 15 in., B&B | 1.20 | 1.00 | .80 |
| 15 to 18 in., B&B | 1.60 | 1.35 | 1.10 |
| 18 to 24 in., B&B | 2.25 | 1.90 | 1.50 |
| — standishi, 25'-40' | St | tandish Arb | orvitae |
| 18 to 24 in., B&B | 3.40 | 2.80 | |
| 2 to 3 ft., B&B | 4.50 | 3.75 | |
| 3 to 4 ft., B&B | 6.00 | 5.00 | |
| BIOTA or CHINESE ARBO | RVITAI | Ð | |
| — orientalis aurea nana, 2½'-3' Be | rekmane | Golden Arh | orvitae |
| 9 to 12 in., B&B | | | |
| 12 to 15 in., B&B | 1.90 | 1.50 | 1.25 |
| 15 to 18 in., B&B | 2.25 | $1.25 \\ 1.50 \\ 1.90$ | |
| , | | | |
| TILIA — THE LIND | ENS | | |
| TILIA cordata, 70' | Litlelean | f European | Linden |
| 12 to 14 ft., 2 1/4 to 2 1/2 in | | | |
| | | 6 13 | T 1 3 . |
| — platyphyllos, 70' | | f European | Linden |
| 9 to 11 ft., $1\frac{1}{2}$ to 2 in | $\begin{array}{c} 6.00 \\ 7.50 \end{array}$ | | |
| | 1.50 | 0.20 | |
| — vulgaris (europaea), 70'-90' | | European | Linden |
| 14 to 16 ft., 3 to 3½ in | | 12.50 | 10.00 |
| 14 to 16 ft., 3 ½ to 4 in | 17.50 | 15.00 | |
| HEMLOCK | | | |
| TSUGA canadensis, 75'-90' | | Canada F | Jemlock |
| 1½ to 2 ft., B&B | 3.00 | | 2.00 |
| 2 to 2½ ft., B&B | 4.50 | 3.75 | |
| 2½ to 3 ft., B&B | 6.35 | 5.30 | 4.25 |
| 3 to 4 ft., B&B | 9.00 | 7.50 | 6.00 |
| 4 to 5 ft., B&B | 11.20 | 9.50 | 7.50 |
| 5 to 6 ft., B&B | 14.00 | 11.50 | |
| ULMUS americana, 80'-100' | | Ameri | can Elm |
| 6 to 8 ft | 1.30 | 1.10 | .90 |
| 8 to 10 ft | 2.60 | 2.20 | 1.75 |
| 8 to 10 ft., 1 1/4 to 1 1/2 in | 3.75 | 3.00 | 2.50 |
| 9 to 11 ft., 1½ to 1¾ in | $\frac{5.25}{6.75}$ | $\frac{4.40}{5.50}$ | 3.50 |
| , · · · · · · · · · · · · · · · · · · · | | | 4.50 |
| VACCINIUM corymbosum, 5'-6' | | Highbush B | |
| 1½ to 2 ft., B&B | 2.50 | 9 0 5 | 4 0 = |
| | | 2.05 | 1.65 |
| 2 to 3 ft., B&B | | 2.75 | 2.20 |

| | TT | i i - 0 | 4343 |
|-------------------------------|--|-----------------------|---|
| | 1-9 | rice in Quai 10-49 | |
| VIBURNUM acerifolium, 4'-5' | M | apleleaf Vi | burnum |
| 12 to 18 in | | .45 | .35 |
| 18 to 24 in | .75 | .60 | .50 |
| -americanum (trilobum), 8'-9' | Ameri | can Cranbe | rrybush |
| 12 to 18 in | .55 | .45 | .35 |
| 18 to 24 in | .70 | .55 | .45 |
| 2 to 3 ft | $\begin{array}{c} .85 \\ 1.00 \end{array}$ | .70 .80 | .65 |
| | | | |
| — burkwoodi, 4' | | irkwood Vi | |
| 12 to 18 in., B&B | $\frac{2.25}{3.00}$ | $\frac{1.90}{2.50}$ | $\frac{1.50}{2.00}$ |
| 2 to 2½ in., B&B | 4.10 | 3.50 | 2.75 |
| | | | |
| — cassinoides, 5'-6' | | | ithe-rod |
| 12 to 18 in | .55 $.70$ | .45 .55 | .35 |
| 2 to 3 ft | .85 | .70 | .55 |
| — dentatum 10'-12' | | Ann | owwood |
| 18 to 24 in | .52 | .45 | .35 |
| 2 to 3 ft | .70 | .55 | .45 |
| — dilatatum, 8'-9' | | Linden Vi | h su masa u u ma |
| 18 to 24 in | .75 | .60 | 50. |
| 2 to 3 ft | .90 | .75 | .60 |
| — lantana, 15'-18' | | Wayfar | |
| 12 to 18 in | .37 | .30 | .25 |
| 18 to 24 in | .52 | .45 | .35 |
| lentago, 18'-20' | | Nan | nyberry |
| 18 to 24 in | .52 | .45 | .35 |
| 2 to 3 ft | .70 | .55 | .45 |
| 3 to 4 ft | $0.85 \\ 1.20$ | .70 | .55 |
| | | 1.00 | .80 |
| — molle, 10'-12' | | entucky Vil | |
| 18 to 24 in | .52 | .45 $.55$ | .35 |
| 3 to 4 ft | .90 | .75 | .60 |
| 4 to 5 ft | 1.10 | 1.00 | .80 |
| — opulus sterile, 9'-10' | (| Common Si | nowball |
| 12 to 18 in. | .45 | .37 | .30 |
| 18 to 24 in | *.60 | .50 | .40 |
| | .75 | .60 | .50 |
| — prunifolium, 10'-12' | 0.0 | | ackhaw |
| 18 to 24 in 2 to 2½ ft | .90 $.1.10$ | .75 | $\begin{array}{c} \textbf{.60} \\ \textbf{.75} \end{array}$ |
| 2 ½ to 3 ft | 1.45 | 1.20 | .15 |
| 3 to 4 ft | 1.90 | 1.50 | 1.25 |
| — theiferum, 8' | | Tea Vit | urnum |
| 18 to 24 in | .75 | .60 | .50 |
| 2 to 3 ft | 1.10 | .95 | .75 |
| 3 to 4 ft | 1.50 | 1.25 | 1.00 |
| — tomentosum, 7'-8' | | ublefile Vib | urnum |
| 12 to 18 in. 18 to 24 in. | .55 .70 | .45 | .35 |
| 2 to 3 ft | .90 | .55 .75 | .45 |
| | | . 10 | .00 |

| | | Price in Qua 10-49 | |
|---|--------------------|-----------------------|------------|
| VIBURNUM tomentosum plicatum, 7'-8' | | Japanese Sr | owball |
| 12 to 18 in | | | .50 |
| 18 to 24 in | | | .65 |
| VINCA IIIIIOI. U -O | P | eriwinkle or | • |
| 3 in. pots, 2 year | | .25 | .20 |
| VITEX macrophylla (latifolia), 3'-4' La | | | |
| 12 to 18 in | .45 | .37 $.50$ | .30 $.40$ |
| 2 to 3 ft | .75 | .60 | .50 |
| WEIGELIA candida, 7'-8' | | White W | eigelia |
| 18 to 24 in | .55 | .45 | |
| 2 to 3 ft | .60 | .50 | .40 |
| 3 to 4 ft | .75 | .60 | .50. |
| — Eva Rathke, 4'-5' | | dflowered W | _ |
| 12 to 18 in | .55 | .45 | .35 |
| 2 to 3 ft | .75 | .60 | .50 |
| 3 to 4 ft | 1.00 | .80 | .65 |
| — Feerie, 5'-8' | | Rose Red W | eigelia |
| 12 to 18 in | .55 | .45 | .35 |
| 18 to 24 in | .70 | .55 | .45 |
| 2 to 3 ft | $\frac{.85}{1.05}$ | .70 $.90$ | .55 $.70$ |
| — floribunda, 8' | 2.00 | Crimson W | |
| 18 to 24 in | .55 | .45 | .35 |
| 2 to 3 ft | .60 | .50 | .40 |
| 3 to 4 ft | .75 | .60 | .50 |
| — Gustav Mallot, 6'-8' | | Rose Red W | eigelia |
| 12 to 18 in. | .45 | .37 | .30 |
| 18 to 24 in | $.60 \\ .75$ | .50 $.60$ | .40 $.50$ |
| 3 to 4 ft | .90 | .75 | .60 |
| — nana variegata, 6'-8' | Varieg | ated Leaf W | eigelia |
| 12 to 18 in | .37 | .30 | .25 |
| 18 to 24 in. | .45 | .37 | .30 |
| 2 to 3 ft | .60 | .50 | .40 |
| rosea (florida rosea), 7'-8' | 0.0 | Pink W | 0 |
| 12 to 18 in | .33 $.45$ | .27 $.37$ | .22 |
| 2 to 3 ft | .55 | .45 | .35 |
| 3 to 4 ft | .70 | .55 | .45 |
| 4 to 5 ft | .85 | .70 | .55 |
| - Vaniceki, 5'-6' | | ek's Red W | |
| 18 to 24 in | .70 .85 | .55 $.70$ | .45 .55 |
| WISTERIA floribunda macrobotrys (Multiju, | | | .00 |
| WisiEmin horibunda macrobodrys (multiple | | ngcluster W | isteria |
| 2 year grafts | .75 | .60 | .50 |
| ZANTHORHIZA apiifolia, 2'-3' | | | owroot |
| (Xanthorhiza simplicissima) | | 1 911 | 0111000 |
| 9 to 12 in., 2 year | .37 | .30 | .25 |
| 12 to 15 in., 3 year | .60 | .50 | .40 |
| 15 to 18 in., 3 year | .75 | .60 | .50 |

SPECIAL OFFER — ASSORTED SHRUBS

Our selection includes all desirable varieties for landscape plantings.

Many of our customers have asked us for assorted shrubs where the varieties do not have to be specified. We are, therefore, offering three groups of shrubs this season. The varieties used will naturally be made up of items that we have in good supply at the time.

| | 100 or more | 1000 or more |
|---|----------------|-----------------|
| GROUP A—Shrubs. Average 2 ft. or more, including many good ornamental varieties of Cornus, Deutzia, Spirea, Lonicera and others | | .35 |
| GROUP B—Shrubs. Average 3 ft. or more, including all good ornamental varieties same as above. | | .40 |

We may also from time to time have special offers of assorted SHADE TREES, SMALL EVERGREENS, or other items. Consult us first and take advantage of the savings involved.



PRINCETON PRODUCTS ARE QUALITY PRODUCTS